

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
STKR400	グレ-□P 4.5x100x100	1300.1	1
STKR400	グレ-□P 4.5x100x100	1800.1	1
SSC400	グレ- C 2.3x60x30x10	1800.1	1
SSC400	グレ- C 2.3x60x30x10	2900.1	1
STKR400	グレ- □ P 3.2x75x75	3100.1	1
STKR400	グレ- □ P 2.3x75x75	1600.1	1
STKR400	グレ- □ P 2.3x50x50	5300.1	1
STKR400	カ- □ P 6x175x175	2900.1	1
STKR400	カ- □ P 6x150x150	1900.1	1
STKR400	カ- □ P 4.5x75x75	1200.1	1
STKR400	カ- □ P 4.5x75x75	1800.1	1
STKR400	カ- □ P 4.5x200x100	5100.1	1
STKR400	カ- □ P 4.5x150x100	1900.1	2
STKR400	カ- □ P 4.5x150x100	2800.1	1
STKR400	カ- □ P 4.5x100x100	1700.1	1
STKR400	カ- □ P 3.2x75x75	1800.1	1
STKR400	カ- □ P 3.2x125x125	1800.1	1
STKR400	カ- □ P 3.2x125x125	1900.1	1
STKR400	カ- □ P 3.2x100x100	1500.1	1
STKR400	カ- □ P 2.3x75x75	2500.1	1
STKR400	カ- □ P 2.3x60x30	3300.1	1
STKR400	カ- □ P 2.3x100x50	4300.1	1
SSC400	カ- C 2.3x75x45x15	2100.1	2
SSC400	カ- C 2.3x60x30x10	3400.1	1
SSC400	カ- C 2.3x60x30x10	3600.1	1
SSC400	カ- C 2.3x100x50x20	1500.1	1
	磨φ棒 6 mm	1800.1	1
	磨φ棒 6 mm	3800.1	1
	磨φ棒 40 mm	3900.1	1
	磨φ棒 12 mm	1800.1	1
	磨φ棒 10 mm	1600.1	1
	磨φ棒 10 mm	3800.1	1
SS400	磨■ 6 mm	600.1	1
SS400	不等辺不等厚L 11 x 16 x 90 x 3	4100.1	1
SS400	不等辺不等厚L 9x14x90x200	1700.1	1
SS400	不等辺 L 9x90x150	600.1	1
SS400	不等辺 L 9x100x150	2000.1	1
SS400	不等辺 L 9x100x150	3400.1	8
SS400	不等辺 L 9x100x150	3700.1	3
SS400	不等辺 L 9x100x150	4000.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	不等辺 L 9x100x150	9900.1	1
SS400	不等辺 L 7x75x125	900.1	1
SS400	不等辺 L 7x75x125	1100.1	1
SS400	不等辺 L 7x75x100	1700.1	1
SS400	不等辺 L 7x75x100	1800.1	4
SS400	不等辺 L 6x75x90	1200.1	1
SS400	不等辺 L 6x75x90	2200.1	1
SS400	不等辺 L 15x100x150	1400.1	6
SS400	不等辺 L 15x100x150	1800.1	3
SS400	不等辺 L 15x100x150	5200.1	1
SS400	不等辺 L 12x90x150	2100.1	1
SS400	不等辺 L 10x90x125	2500.1	1
SS400	不等辺 L 10x75x125	5000.1	1
SS400	不等辺 L 10x75x100	700.1	1
SS400	不等辺 L 10x75x100	800.1	3
SSC400	黒C 3.2x200x75x20	2000.1	1
SSC400	黒C 3.2x100x50x20	1900.1	1
SSC400	軽[6x150x75	3000.1	1
SSC400	軽[4.5x150x50	1900.1	1
SSC400	軽[4.5x150x50	2000.1	1
STKR400	角 P 9x200x100	2100.1	1
STKR400	角 P 9x150x150	4600.1	1
STKR400	角 P 9x125x125	7300.1	1
STKR400	角 P 9x100x100	2000.1	1
STKR400	角 P 6x75x75	1400.1	1
STKR400	角 P 6x150x80	4000.1	1
STKR400	角 P 6x150x150	1300.1	6
STKR400	角 P 6x150x100	1200.1	1
STKR400	角 P 6x150x100	4300.1	1
STKR400	角 P 6x125x125	1000.1	1
STKR400	角 P 6x125x125	1800.1	1
STKR400	角 P 6x125x125	2200.1	1
STKR400	角 P 6x125x125	2800.1	1
STKR400	角 P 6x125x125	3100.1	1
STKR400	角 P 6x100x50	2000.1	1
STKR400	角 P 6x100x100	1200.1	3
STKR400	角 P 6x100x100	1900.1	1
STKR400	角 P 4.5x75x45	1300.1	1
STKR400	角 P 4.5x150x150	1300.1	1
STKR400	角 P 4.5x150x150	3600.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
STKR400	角 P 4.5x150x100	3100.1	1
STKR400	角 P 4.5x125x75	1200.1	1
STKR400	角 P 4.5x125x125	1200.1	1
STKR400	角 P 4.5x125x125	2800.1	1
STKR400	角 P 4.5x125x125	3200.1	1
STKR400	角 P 4.5x100x100	4400.1	1
STKR400	角 P 4.5x100x100	4700.1	1
STKR400	角 P 4.2x75x50	4300.1	1
STKR400	角 P 3.2x90x90	1200.1	1
STKR400	角 P 3.2x90x90	1300.1	1
STKR400	角 P 3.2x90x90	1700.1	1
STKR400	角 P 3.2x80x80	2700.1	1
STKR400	角 P 3.2x80x80	3600.1	1
STKR400	角 P 3.2x75x45	3800.1	1
STKR400	角 P 3.2x60x60	5200.1	1
STKR400	角 P 3.2x60x30	1400.1	1
STKR400	角 P 3.2x60x30	1900.1	1
STKR400	角 P 3.2x50x50	2300.1	1
	角 P 3.2x50x30	3900.1	1
STKR400	角 P 3.2x50x30	4400.1	1
	角 P 3.2x40x40	2800.1	2
STKR400	角 P 3.2x150x75	2000.1	1
STKR400	角 P 3.2x150x100	1900.1	1
STKR400	角 P 3.2x125x125	4000.1	1
STKR400	角 P 3.2x100x50	1100.1	1
STKR400	角 P 3.2x100x50	1300.1	1
STKR400	角 P 3.2x100x100	1300.1	1
STKR400	角 P 3.2x100x100	1600.1	1
STKR400	角 P 3.2x100x100	2100.1	1
STKR400	角 P 2.3x80x80	2700.1	1
	角 P 2.3x80x40	2300.1	1
STKR400	角 P 2.3x75x75	1100.1	1
STKR400	角 P 2.3x75x75	1200.1	1
STKR400	角 P 2.3x75x45	4000.1	1
	角 P 2.3x75x20	3100.1	1
	角 P 2.3x60x40	1400.1	1
STKR400	角 P 2.3x60x40	1900.1	1
STKR400	角 P 2.3x60x30	3000.1	1
STKR400	角 P 2.3x50x50	2100.1	1
	角 P 2.3x50x30	2300.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
	角 P 2.3x50x20	3800.1	1
	角 P 2.3x40x40	3600.1	1
	角 P 2.3x40x20	1800.1	1
	角 P 2.3x30x30	2800.1	1
	角 P 2.3x30x20	1000.1	1
	角 P 2.3x125x40	3700.1	1
STKR400	角 P 2.3x100x100	4500.1	1
STKR400	角 P 1.6x50x50	5200.1	1
	角 P 1.6x40x20	5200.1	1
	角 P 1.6x19x19	4500.1	1
SR235	φ 9	4400.1	1
STK400	φ 60.5x3.2	1200.1	1
SS400	φ 22	5100.1	1
SS400	φ 19	5100.1	1
SS400	φ 16	1900.1	1
SS400	φ 13	2100.1	1
SS400	■ 9.52x9.52	3400.1	1
SS400	■ 50x50	4100.1	1
SS400	■ 44x44	900.1	2
SS400	■ 44x44	1000.1	1
SS400	■ 44x44	3200.1	1
SS400	■ 32x32	1100.1	1
SS400	■ 32x32	1200.1	8
SS400	■ 32x32	1300.1	5
SS400	■ 32x32	1400.1	66
SS400	■ 28x28	700.1	1
SS400	■ 28x28	4500.1	1
SS400	■ 25x25	900.1	1
SS400	■ 25x25	2900.1	1
SS400	■ 22x22	1100.1	1
SS400	■ 19x19	3700.1	1
SS400	■ 16x16	2000.1	1
SS400	■ 16x16	2100.1	2
SS400	■ 16x16	2800.1	2
SS400	■ 12.7x12.7	3900.1	1
SS400	[9x90x300	6600.1	1
SS400	[9x90x250	800.1	1
SS400	[9x90x250	1300.1	1
SS400	[9x90x250	1900.1	1
SS400	[9x90x250	2301.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	[9x90x250	2600.1	1
SS400	[9x75x150	1000.1	1
SS400	[9x75x150	2300.1	1
SS400	[9x75x150	3900.1	1
SS400	[8x90x200	900.1	1
SS400	[7x75x180	800.1	4
SS400	[7x75x180	1700.1	2
SS400	[7x75x180	1900.1	1
SS400	[7x75x180	2000.1	3
SS400	[7.5x80x200	1100.1	1
SS400	[7.5x80x200	2500.1	1
SS400	[7.5x80x200	3400.1	1
SS400	[6x65x125	700.1	1
SS400	[6x65x125	1200.1	2
SS400	[6x65x125	1500.1	1
SS400	[6x65x125	2400.1	2
SS400	[6.5x75x150	1400.1	1
SS400	[6.5x75x150	2700.1	1
SS400	[5x50x100	700.1	1
SS400	[5x50x100	1000.1	1
SS400	[10.5x100x380	3900.1	1
SS400	WFB 9x200	1100.1	1
SS400	WFB 6x200	1200.1	1
SS400	WFB 6x200	4300.1	1
SS400	WFB 6x180	2600.1	2
SS400	WFB 25x200	1100.1	1
SS400	WFB 25x200	3600.1	1
SS400	WFB 22x200	4600.1	1
SS400	WFB 19x200	1000.1	1
SS400	WFB 16x200	1800.1	1
SS400	WFB 12x300	1300.1	1
SS400	WFB 12x300	3100.1	1
SS400	WFB 12x250	4100.1	1
SS400	WFB 12x175	3800.1	1
SS400	L 9x75	1000.1	1
SS400	L 9x75	1200.1	1
SS400	L 9x75	2500.1	1
SS400	L 9x75	4300.1	1
SS400	L 8x65	1500.1	1
SS400	L 7x90	700.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質		材料名	長さ	本数
SS400	L 7x90		800.1	2
SS400	L 7x90		2800.1	1
SS400	L 7x90		2900.1	1
SS400	L 7x90		3800.1	1
SS400	L 7x90		4000.1	1
SS400	L 7x100		600.1	1
SS400	L 7x100		2400.1	1
SS400	L 6x90		3500.1	1
SS400	L 6x75		2400.1	1
SS400	L 6x75		3000.1	1
SS400	L 6x65		2000.1	1
SS400	L 6x65		3700.1	1
SS400	L 6x50		1600.1	1
SS400	L 6x50		2500.1	14
SS400	L 6x50		4100.1	1
SS400	L 5x60		1300.1	1
SS400	L 5x40		3700.1	1
SS400	L 4x60		2700.1	1
SS400	L 4x50		800.1	1
SS400	L 4x50		1300.1	1
SS400	L 4x45		4000.1	1
SS400	L 3x40		1800.1	2
SS400	L 3x40		2200.1	1
SS400	L 3x30		700.1	1
SS400	L 3x30		1400.1	2
SS400	L 3x30		3500.1	1
SS400	L 3x25		900.1	1
SS400	L 3x25		4500.1	1
SS400	L 25x200		2100.1	4
SS400	L 19x150		6000.1	1
SS400	L 15x200		1600.1	1
SS400	L 13x100		2000.1	1
SS400	L 12x75		1300.1	1
SS400	L 12x75		4200.1	1
SS400	L 10x90		700.1	1
SS400	L 10x90		1200.1	1
SS400	L 10x90		1300.1	1
SS400	L 10x90		1900.1	1
SS400	L 10x90		2400.1	1
SS400	L 10x100		600.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	L 10x100	800.1	1
SS400	L 10x100	1400.1	1
SS400	L 10x100	1800.1	1
SS400	L 10x100	2400.1	1
SS400	L 10x100	2800.1	1
SS400	H 300x300x10/15	1300.1	1
SS400	H 300x150x6.5/9	3100.1	1
SS400	H 300x150x6.5/9	4000.1	1
SS400	H 294x200x8/12	7900.1	1
SS400	H 294x200x8/12	9000.1	1
SS400	H 250x125x6/9	1700.1	6
SS400	H 250x125x6/9	9400.1	1
SS400	H 200x200x8/12	500.1	1
SS400	H 200x200x8/12	900.1	1
SS400	H 200x200x8/12	1100.1	3
SS400	H 200x200x8/12	8500.1	1
SS400	H 200x100x5.5/8	2100.1	1
SS400	H 194x150x6/9	1200.1	1
SS400	H 175x90x5/8	1200.1	1
SS400	H 175x90x5/8	1600.1	3
SS400	H 175x90x5/8	2200.1	2
SS400	H 175x90x5/8	3700.1	1
SS400	H 175x175x7.5/11	2100.1	1
SS400	H 150x75x5/7	1100.1	3
SS400	H 150x75x5/7	1200.1	2
SS400	H 150x75x5/7	1500.1	1
SS400	H 150x75x5/7	1700.1	1
SS400	H 150x75x5/7	1800.1	1
SS400	H 150x150x7/10	800.1	1
SS400	H 150x150x7/10	900.1	2
SS400	H 148x100x6/9	1400.1	1
SS400	H 125x60x6/8	1600.1	1
SS400	H 125x60x6/8	1900.1	1
SS400	H 125x125x6.5/9	700.1	1
SS400	H 125x125x6.5/9	900.1	1
SS400	H 125x125x6.5/9	1200.1	1
SS400	H 125x125x6.5/9	4600.1	1
SS400	H 100x100x6/8	700.1	1
SS400	H 100x100x6/8	900.1	4
SS400	H 100x100x6/8	7300.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	FB 9x90	1300.1	1
SS400	FB 9x90	2000.1	1
SS400	FB 9x80	2700.1	1
SS400	FB 9x80	3300.1	1
SS400	FB 9x75	1800.1	2
SS400	FB 9x70	5000.1	1
SS400	FB 9x65	800.1	1
SS400	FB 9x60	4200.1	1
SS400	FB 9x50	1100.1	1
SS400	FB 9x50	1200.1	1
SS400	FB 9x50	4400.1	1
SS400	FB 9x44	1900.1	1
SS400	FB 9x38	1800.1	1
SS400	FB 9x32	1400.1	1
SS400	FB 9x25	600.1	2
SN490B	FB 9x25	800.1	4
SS400	FB 9x25	2100.1	1
SN490B	FB 9x25	2200.1	1
SS400	FB 9x25	4900.1	1
SS400	FB 9x25	5200.1	1
SS400	FB 9x22	1300.1	2
SS400	FB 9x22	1900.1	1
SS400	FB 9x19	1000.1	1
SS400	FB 9x19	1300.1	4
SS400	FB 9x16	600.1	1
SS400	FB 9x150	1000.1	15
SS400	FB 9x150	1800.1	1
SS400	FB 9x150	2200.1	2
SS400	FB 9x125	1100.1	5
SS400	FB 9x125	1800.1	1
SS400	FB 9x125	2500.1	1
SS400	FB 9x100	1300.1	1
SS400	FB 9x100	2900.1	1
SS400	FB 6x90	5400.1	2
SS400	FB 6x80	1600.1	1
SS400	FB 6x80	1800.1	1
SS400	FB 6x75	1200.1	1
SS400	FB 6x75	1400.1	3
SS400	FB 6x75	3100.1	1
SS400	FB 6x75	4100.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	FB 6x70	2400.1	1
SS400	FB 6x60	4100.1	1
SS400	FB 6x50	1600.1	1
SS400	FB 6x50	3100.1	1
SS400	FB 6x44	600.1	1
SS400	FB 6x44	700.1	26
SS400	FB 6x38	500.1	4
SS400	FB 6x38	700.1	1
SS400	FB 6x38	800.1	4
SS400	FB 6x38	900.1	10
SS400	FB 6x38	1000.1	24
SS400	FB 6x38	1100.1	11
SS400	FB 6x38	1200.1	2
SS400	FB 6x38	1300.1	3
SS400	FB 6x38	1400.1	10
SS400	FB 6x38	1500.1	16
SS400	FB 6x38	1700.1	20
SS400	FB 6x38	1800.1	4
SS400	FB 6x38	1900.1	2
SS400	FB 6x38	2000.1	9
SS400	FB 6x38	2300.1	14
SS400	FB 6x32	1300.1	1
SS400	FB 6x32	1400.1	1
SS400	FB 6x32	2600.1	6
SS400	FB 6x32	2700.1	1
SS400	FB 6x25	3500.1	1
SS400	FB 6x22	2200.1	4
SS400	FB 6x19	4100.1	1
SS400	FB 6x16	800.1	1
SS400	FB 6x16	1500.1	1
SS400	FB 6x16	2300.1	1
SS400	FB 6x150	2300.1	1
SS400	FB 6x150	2800.1	1
SS400	FB 6x125	1000.1	1
SS400	FB 6x125	2700.1	4
SS400	FB 6x125	4500.1	1
SS400	FB 6x100	2100.1	1
SS400	FB 6x100	3500.1	1
SS400	FB 4.5x75	1600.1	1
SS400	FB 4.5x65	3900.1	2

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	FB 4.5x50	2400.1	1
SS400	FB 4.5x150	5100.1	1
SS400	FB 4.5x13	1500.1	5
SS400	FB 4.5x100	700.1	1
SS400	FB 4.5x100	1100.1	3
SS400	FB 4.5x100	2400.1	6
SS400	FB 3x50	2700.1	1
SS400	FB 3x38	1400.1	1
SS400	FB 3x38	2500.1	8
SS400	FB 3x38	2700.1	1
SS400	FB 3x32	700.1	1
SS400	FB 3x32	1700.1	1
SS400	FB 3x25	3300.1	1
SS400	FB 3x13	1500.1	1
SS400	FB 28x150	1400.1	1
SS400	FB 28x125	2400.1	2
SS400	FB 25x90	800.1	1
SS400	FB 25x90	2100.1	2
SS400	FB 25x75	700.1	1
SS400	FB 25x75	1600.1	1
SS400	FB 25x75	2300.1	2
SS400	FB 25x75	3100.1	1
SS400	FB 25x65	3700.1	1
SS400	FB 25x50	3000.1	1
SS400	FB 25x38	1900.1	1
SS400	FB 25x150	800.1	1
SS400	FB 25x150	900.1	1
SS400	FB 25x150	1000.1	1
SS400	FB 25x150	1400.1	1
SS400	FB 25x150	1600.1	1
SS400	FB 25x125	700.1	2
SS400	FB 25x125	800.1	2
SS400	FB 25x125	1000.1	2
SS400	FB 25x125	1100.1	2
SS400	FB 25x125	1700.1	1
SS400	FB 25x100	1500.1	1
SS400	FB 22x90	4300.1	1
SS400	FB 22x75	900.1	1
SS400	FB 22x75	1600.1	1
SS400	FB 22x65	1400.1	2

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	FB 22x65	2500.1	1
SS400	FB 22x65	2700.1	2
SS400	FB 22x50	1000.1	2
SS400	FB 22x50	1400.1	2
SS400	FB 22x50	3200.1	1
SS400	FB 22x150	700.1	1
SS400	FB 22x150	1000.1	1
SS400	FB 22x150	1300.1	1
SS400	FB 22x150	1500.1	1
SS400	FB 22x150	1600.1	2
SS400	FB 22x150	1800.1	2
SS400	FB 22x150	3800.1	1
SS400	FB 22x125	900.1	2
SS400	FB 22x125	1000.1	1
SS400	FB 22x125	1200.1	4
SS400	FB 22x125	1300.1	1
SS400	FB 22x125	1600.1	1
SS400	FB 22x100	900.1	2
SS400	FB 22x100	1000.1	1
SS400	FB 22x100	1100.1	2
SS400	FB 22x100	1400.1	2
SS400	FB 19x90	1100.1	1
SS400	FB 19x90	1300.1	1
SS400	FB 19x75	2200.1	1
SS400	FB 19x65	1400.1	1
SS400	FB 19x65	1600.1	1
SS400	FB 19x65	2000.1	1
SS400	FB 19x50	2400.1	1
SS400	FB 19x50	2600.1	2
SS400	FB 19x44	1900.1	4
SS400	FB 19x44	2300.1	12
SS400	FB 19x38	900.1	2
SS400	FB 19x38	1000.1	7
SS400	FB 19x32	2400.1	1
SS400	FB 19x32	2700.1	1
SS400	FB 19x150	1500.1	2
SS400	FB 19x150	3200.1	1
SS400	FB 19x125	5000.1	1
SS400	FB 19x100	1400.1	1
SS400	FB 16x90	800.1	12

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	FB 16x90	900.1	1
SS400	FB 16x90	1000.1	1
SS400	FB 16x90	1100.1	1
SS400	FB 16x75	500.1	1
SS400	FB 16x75	600.1	1
SS400	FB 16x75	2700.1	2
SS400	FB 16x65	600.1	1
SS400	FB 16x65	3400.1	1
SS400	FB 16x50	700.1	1
SS400	FB 16x50	2800.1	1
SS400	FB 16x44	800.1	1
SS400	FB 16x44	3600.1	1
SS400	FB 16x38	1800.1	1
SS400	FB 16x38	2000.1	1
SS400	FB 16x32	600.1	1
SS400	FB 16x32	1200.1	1
SS400	FB 16x25	1000.1	4
SS400	FB 16x25	1100.1	1
SS400	FB 16x25	1600.1	1
SS400	FB 16x125	1000.1	1
SS400	FB 16x125	5500.1	1
SS400	FB 16x100	1300.1	4
SS400	FB 16x100	1700.1	1
SS400	FB 16x100	2800.1	1
SS400	FB 12x90	2400.1	3
SS400	FB 12x75	2100.1	1
SS400	FB 12x75	2500.1	1
SS400	FB 12x65	800.1	1
SS400	FB 12x44	700.1	8
SS400	FB 12x44	800.1	2
SS400	FB 12x44	900.1	1
SS400	FB 12x44	4200.1	1
SS400	FB 12x38	800.1	5
SS400	FB 12x38	1300.1	7
SS400	FB 12x38	1500.1	15
SS400	FB 12x38	2700.1	1
SS400	FB 12x32	600.1	1
SS400	FB 12x32	700.1	5
SS400	FB 12x32	1200.1	3
SS400	FB 12x32	1300.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2025年05月01日

材質	材料名	長さ	本数
SS400	FB 12x32	2400.1	1
SS400	FB 12x32	2700.1	1
SS400	FB 12x25	1600.1	1
SS400	FB 12x25	2600.1	2
SS400	FB 12x150	1200.1	1
SS400	FB 12x125	1000.1	3
SS400	FB 12x125	1200.1	2
SS400	FB 12x125	1400.1	1
SS400	FB 12x125	2500.1	1
SS400	FB 12x100	1800.1	1
SD345	D19	1600.1	1
SD345	D16	3600.1	5
SGP	8A (φ13.8x2.3t)	3500.1	1
STKR400	747クアタ-クグ レ-角P3.2x100x100	1700.1	1
STKR400	747クアタ-クグ レ-角P3.2x100x100	2500.1	1
STKR400	747クアタ-クグ レ-角P2.3x100x100	2200.1	1
STKR400	747クアタ-クグ レ-角P2.3x100x100	3100.1	1
STKR400	747クアタ-クグ レ-角P2.3x100x100	5700.1	1
SSC400	747クアタ-クグ レ-C3.2x100x50x20	2100.1	1
SSC400	747クアタ-クグ レ-C3.2x100x50x20	2200.1	1
SSC400	747クアタ-クグ レ-C2.3x100x50x20	1200.1	1
SSC400	747クアタ-クグ レ-C2.3x100x50x20	2400.1	1
SSC400	747クアタ-クグ レ-C2.3x100x50x20	9100.1	1
SGP	40A (φ48.6x3.5t)	2300.1	1
SGP	32A (φ42.7x3.5t)	2000.1	1
SGP	25A (φ34x3.2t)	4900.1	1
SGP	20A (φ27.2x2.8t)	2400.1	1
SGP	15A (φ21.7x2.8t)	5300.1	1