

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SSC400	グレー C 2.3x60x30x10	3000.1	1
STKR400	グレー P 4.5x100x100	4300.1	1
STKR400	グレー P 3.2x150x75	3100.1	1
STKR400	グレー P 3.2x125x125	2900.1	1
STKR400	グレー P 2.3x75x75	5280	1
STKR400	グレー P 2.3x100x50	4000.1	2
SSC400	グレー C 3.2x100x50x20	5900.1	1
SSC400	グレー C 2.3x75x45x15	5400.1	1
SSC400	グレー C 2.3x60x30x10	1100.1	1
SSC400	グレー C 2.3x60x30x10	1400.1	1
SSC400	グレー C 2.3x100x50x20	1500.1	1
STKR400	グレー P 2.3x100x100	2900.1	1
SSC400	グレー C 3.2x150x50x20	5000.1	1
	磨棒 6 mm	1800.1	1
	磨棒 40 mm	5800.1	1
	磨棒 25 mm	3600.1	2
	磨棒 16 mm	2200.1	1
	磨棒 12 mm	3800.1	1
	磨棒 10 mm	3300.1	1
SS400	磨 6 mm	1100.1	1
SS400	不等辺不等厚L 11x16x90x3	4200.1	1
SS400	不等辺不等厚L 10x15x90x250	4050	1
SS400	不等辺 L 9x90x150	800.1	1
SS400	不等辺 L 9x90x150	1000.1	4
SS400	不等辺 L 9x90x150	1100.1	1
SS400	不等辺 L 9x90x150	1200.1	2
SS400	不等辺 L 9x90x150	1400.1	1
SS400	不等辺 L 9x90x150	1500.1	1
SS400	不等辺 L 9x90x150	1600.1	1
SS400	不等辺 L 9x90x150	4600.1	1
SS400	不等辺 L 9x75x90	4600.1	1
SS400	不等辺 L 7x75x100	1000.1	1
SS400	不等辺 L 7x75x100	1300.1	1
SS400	不等辺 L 7x75x100	1600.1	1
SS400	不等辺 L 7x75x100	2400.1	1
SS400	不等辺 L 7x75x100	2700.1	1
SS400	不等辺 L 6x75x90	2400.1	1
SS400	不等辺 L 6x75x90	4500.1	1
SS400	不等辺 L 12x100x150	190.1	12
SS400	不等辺 L 10x75x125	800.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	不等辺 L 10x75x100	1200.1	3
SS400	不等辺 L 10x75x100	1600.1	2
SS400	不等辺 L 10x75x100	1601.1	2
SS400	不等辺 L 10x75x100	3700.1	1
SS400	不等辺 L 10x75x100	7100.1	1
SSC400	黒C 3.2x150x75x25	1500.1	2
SSC400	黒C 3.2x150x75x25	1700.1	1
SSC400	黒C 3.2x100x50x20	1000.1	1
SSC400	黒C 3.2x100x50x20	1500.1	2
SSC400	黒C 3.2x100x50x20	5000.1	1
SSC400	黒C 2.3x75x45x15	5500.1	1
SSC400	黒C 2.3x100x50x20	2600.1	2
SSC400	黒C 2.3x100x50x20	4800.1	1
SSC400	軽[6x150x75	2000.1	2
SSC400	軽[6x150x75	3050.1	1
SSC400	軽[6x150x75	4000.1	1
SSC400	軽[4.5x250x75	3200.1	1
SSC400	軽[4.5x250x75	4200.1	1
SSC400	軽[3.2x100x50	3100.1	1
STKR400	角 P 9x200x100	2100.1	6
STKR400	角 P 9x150x150	1700.1	1
STKR400	角 P 6x75x75	4500.1	1
STKR400	角 P 6x60x60	1900.1	1
STKR400	角 P 6x150x100	2000.1	1
STKR400	角 P 6x150x100	3300.1	1
STKR400	角 P 6x125x125	1500.1	1
STKR400	角 P 6x100x100	3400.1	1
STKR400	角 P 6x100x100	3900.1	1
STKR400	角 P 4.5x75x75	2200.1	1
STKR400	角 P 4.5x75x75	2900.1	1
STKR400	角 P 4.5x60x60	2900.1	1
STKR400	角 P 4.5x50x50	1700.1	2
STKR400	角 P 4.5x200x100	3600.1	1
STKR400	角 P 4.5x150x150	4900.1	1
STKR400	角 P 4.5x150x150	5300.1	1
STKR400	角 P 4.5x125x75	3200.1	1
STKR400	角 P 4.5x125x125	3000.1	1
STKR400	角 P 4.5x100x50	1700.1	1
STKR400	角 P 4.5x100x100	4700.1	1
STKR400	角 P 3.2x90x45	4100.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
STKR400	角 P 3.2x75x75	1700.1	1
STKR400	角 P 3.2x75x75	1900.1	1
STKR400	角 P 3.2x60x60	4200.1	1
STKR400	角 P 3.2x60x30	1000.1	1
STKR400	角 P 3.2x50x50	1300.1	1
STKR400	角 P 3.2x50x50	1900.1	1
STKR400	角 P 3.2x125x125	1600.1	1
STKR400	角 P 3.2x125x125	2200.1	1
STKR400	角 P 3.2x100x50	1100.1	1
STKR400	角 P 3.2x100x50	1500.1	1
STKR400	角 P 2.3x75x75	3800.1	1
STKR400	角 P 2.3x75x45	3400.1	1
STKR400	角 P 2.3x60x60	3300.1	1
STKR400	角 P 2.3x60x40	2000.1	2
	角 P 2.3x40x40	3600.1	1
STKR400	角 P 1.6x60x30	4000.1	1
	角 P 1.6x40x40	2400.1	1
	角 P 1.6x40x20	3200.1	1
	角 P 1.6x21x21	3400.1	1
	角 P 1.6x19x19	3100.1	1
SR235	9	5300.1	1
STK400	60.5x3.2	4200.1	1
STK400	34x2.3	5400.1	1
STK400	27.2x2.3	5300.1	1
SS400	22	1000	25
SS400	22	5100.1	1
SS400	19	1600.1	1
SS400	16	1300.1	1
SS400	13	4600.1	1
SS400	13	5600.1	1
STK400	48.6x2.30	2800.1	1
SS400	9.52x9.52	4600.1	1
SS400	9.52x9.52	5000.1	1
SS400	50x50	700.1	1
SS400	44x44	700.1	2
SS400	44x44	1000.1	1
SS400	38x38	2900.1	1
SS400	32x32	1400.1	35
SS400	32x32	2500.1	1
SS400	28x28	700.1	1

切斷端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	25x25	3300.1	1
SS400	19x19	3500.1	1
SS400	16x16	1500.1	1
SS400	12.7x12.7	2000.1	2
STKR400	P2.3x150x100	2700.1	1
SS400	[9x90x300	900.1	1
SS400	[9x90x300	1500.1	1
SS400	[9x90x300	3100.1	1
SS400	[9x90x250	800.1	1
SS400	[9x90x250	1501.1	2
SS400	[9x90x250	3100.1	1
SS400	[9x90x250	4000.1	1
SS400	[9x90x250	12001.1	1
SS400	[9x75x150	900.1	2
SS400	[9x75x150	1000.1	1
SS400	[9x75x150	2300.1	1
SS400	[8x90x200	1600.1	1
SS400	[8x90x200	4500.1	1
SS400	[7x75x180	1700.1	1
SS400	[6x65x125	1300.1	1
SS400	[6x65x125	1600.1	1
SS400	[6x65x125	1700.1	2
SS400	[6.5x75x150	800.1	1
SS400	[6.5x75x150	1100.1	2
SS400	[6.5x75x150	2800.1	1
SS400	[5x50x100	1700.1	1
SS400	[5x40x75	4400.1	1
SS400	[5x40x75	4700.1	1
SS400	WFB 9x200	2100.1	1
SS400	WFB 6x200	3400.1	1
SS400	WFB 25x200	1100.1	1
SS400	WFB 22x200	4600.1	1
SS400	WFB 19x200	1000.1	1
SS400	WFB 19x200	3700.1	1
SS400	WFB 16x200	1500.1	1
SS400	WFB 12x300	1300.1	1
SS400	WFB 12x200	5800.1	1
SS400	WFB 12x175	3800.1	1
SS400	L 8x65	2900.1	1
SS400	L 8x120	1000.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	L 8x120	2500.1	1
SS400	L 8x120	2700.1	4
SS400	L 8x120	3500.1	1
SS400	L 7x90	1200.1	1
SS400	L 7x90	1600.1	1
SS400	L 7x90	1900.1	1
SS400	L 7x90	2000.1	1
SS400	L 7x100	1700.1	1
SS400	L 7x100	5300.1	1
SS400	L 6x90	4200.1	1
SS400	L 6x75	1100.1	1
SS400	L 6x75	1600.1	1
SS400	L 6x75	2001.1	1
SS400	L 6x75	3100.1	1
SS400	L 6x65	600.1	1
SS400	L 6x65	2500.1	1
SS400	L 6x50	0	1
SS400	L 6x50	2000.1	1
SS400	L 5x60	2000.1	1
SS400	L 5x40	1700.1	2
SS400	L 5x40	3100.1	1
SS400	L 5x30	500.1	1
SS400	L 5x30	700.1	1
SS400	L 5x30	1000.1	1
SS400	L 5x30	1200.1	1
SS400	L 3x40	600.1	9
SS400	L 3x40	1100.1	4
SS400	L 3x25	5400.1	1
SS400	L 3x20	5400.1	1
SS400	L 15x200	1900.1	1
SS400	L 15x200	2700.1	1
SS400	L 15x130	1100.1	1
SS400	L 13x90	800.1	1
SS400	L 12x75	2500.1	1
SS400	L 10x90	1100.1	1
SS400	L 10x90	1300.1	1
SS400	L 10x90	1400.1	2
SS400	L 10x90	1800.1	1
SS400	L 10x90	2000.1	1
SS400	L 10x90	3000.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	L 10x90	3600.1	1
SS400	L 10x100	1100.1	1
SS400	L 10x100	1200.1	1
SS400	L 10x100	1700.1	1
SS400	L 10X150	3200.1	1
SS400	L 10X150	4300.1	1
SS400	H 350x175x7/11	3100.1	1
SS400	H 300x150x6.5/9	5400.1	1
SS400	H 294x200x8/12	4100.1	2
SS400	H 250x125x6/9	10300.1	1
SS400	H 250x125x6/9	10800.1	1
SS400	H 244x175x7/11	2500.1	1
SS400	H 244x175x7/11	3800.1	1
SS400	H 200x200x8/12	1200.1	1
SS400	H 200x200x8/12	4500.1	1
SS400	H 200x200x8/12	8500.1	1
SS400	H 200x100x5.5/8	1100.1	2
SS400	H 200x100x5.5/8	1300.1	1
SS400	H 200x100x5.5/8	3800.1	1
SS400	H 175x175x7.5/11	4900.1	1
SS400	H 175x175x7.5/11	5001.1	1
SS400	H 150x75x5/7	1100.1	3
SS400	H 150x75x5/7	1200.1	1
SS400	H 150x75x5/7	3900.1	1
SS400	H 150x150x7/10	4800.1	1
SS400	H 148x100x6/9	1911.1	1
SS400	H 125x125x6.5/9	900.1	1
SS400	H 125x125x6.5/9	1200.1	1
SS400	H 100x100x6/8	900.1	1
SS400	H 100x100x6/8	1000.1	2
SS400	FB 9x90	2300.1	1
SS400	FB 9x80	600.1	2
SS400	FB 9x80	2900.1	1
SS400	FB 9x75	1900.1	24
SS400	FB 9x65	600.1	1
SS400	FB 9x65	900.1	1
SS400	FB 9x60	2300.1	2
SS400	FB 9x50	4500.1	1
SS400	FB 9x50	4800.1	1
SS400	FB 9x44	4100.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	FB 9x38	4200.1	1
SS400	FB 9x32	1000.1	1
SS400	FB 9x32	2600.1	1
SS400	FB 9x25	700.1	1
SN490B	FB 9x25	1000.1	1
SN490B	FB 9x25	1200.1	1
SN490B	FB 9x25	1400.1	1
SN490B	FB 9x25	3200.1	1
SS400	FB 9x22	1300.1	2
SS400	FB 9x19	1600.1	1
SS400	FB 9x16	1000.1	1
SS400	FB 9x150	2400.1	1
SS400	FB 9x125	1200.1	1
SS400	FB 9x100	800.1	1
SS400	FB 6x90	3500.1	1
SS400	FB 6x80	5800.1	1
SS400	FB 6x75	800.1	12
SS400	FB 6x75	900.1	2
SS400	FB 6x75	1600.1	1
SS400	FB 6x70	5100.1	1
SS400	FB 6x65	4100.1	1
SS400	FB 6x50	1200.1	2
SS400	FB 6x50	2000.1	1
SS400	FB 6x50	2300.1	1
SS400	FB 6x50	4000.1	1
SS400	FB 6x44	5200.1	1
SS400	FB 6x38	1000.1	1
SS400	FB 6x38	2500.1	1
SS400	FB 6x38	2600.1	1
SS400	FB 6x32	4900.1	1
SS400	FB 6x25	3500.1	1
SS400	FB 6x22	2600.1	1
SS400	FB 6x22	3900.1	1
SS400	FB 6x19	5100.1	1
SS400	FB 6x13	1700.1	1
SS400	FB 6x125	900.1	1
SS400	FB 6x125	1500.1	1
SS400	FB 6x125	1800.1	1
SS400	FB 6x100	2500.1	1
SS400	FB 6x100	2600.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	FB 6x100	4200.1	1
SS400	FB 4.5x50	1100.1	1
SS400	FB 4.5x50	1500.1	1
SS400	FB 4.5x44	1700.1	1
SS400	FB 4.5x44	3400.1	1
SS400	FB 4.5x32	1300.1	1
SS400	FB 4.5x32	1700.1	1
SS400	FB 4.5x100	3700.1	1
SS400	FB 4.5x100	5100.1	1
SS400	FB 3x50	600.1	8
SS400	FB 3x32	1100.1	1
SS400	FB 3x32	1600.1	1
SS400	FB 3x25	1600.1	2
SS400	FB 3x22	3900.1	1
SS400	FB 3x16	1800.1	1
SS400	FB 28x150	1400.1	1
SS400	FB 25x90	4500.1	1
SS400	FB 25x75	1200.1	1
SS400	FB 25x65	800.1	1
SS400	FB 25x65	900.1	7
SS400	FB 25x50	1400.1	2
SS400	FB 25x38	1100.1	1
SS400	FB 25x150	900.1	1
SS400	FB 25x150	1100.1	1
SS400	FB 25x150	1900.1	1
SS400	FB 25x125	700.1	1
SS400	FB 25x125	1000.1	1
SS400	FB 25x125	2200.1	1
SS400	FB 25x125	3300.1	1
SS400	FB 25x100	600.1	1
SS400	FB 25x100	1400.1	1
SS400	FB 25x100	1800.1	1
SS400	FB 25x100	1900.1	1
SS400	FB 22x75	1200.1	1
SS400	FB 22x50	2100.1	1
SS400	FB 22x150	1300.1	1
SS400	FB 22x150	1500.1	1
SS400	FB 22x150	1800.1	2
SS400	FB 22x150	3600.1	1
SS400	FB 22x125	900.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	FB 22x125	1200.1	4
SS400	FB 22x125	1300.1	1
SS400	FB 22x125	1600.1	1
SS400	FB 22x100	1000.1	2
SS400	FB 22x100	1200.1	1
SS400	FB 22x100	2000.1	1
SS400	FB 19x90	900.1	1
SS400	FB 19x75	1300.1	1
SS400	FB 19x50	1000.1	1
SS400	FB 19x44	1900.1	8
SS400	FB 19x44	2300.1	16
SS400	FB 19x38	1400.1	1
SS400	FB 19x32	1600.1	1
SS400	FB 19x32	2000.1	2
SS400	FB 19x150	1900.1	1
SS400	FB 19x125	1000.1	1
SS400	FB 19x125	1400.1	1
SS400	FB 16x90	900.1	1
SS400	FB 16x90	1300.1	1
SS400	FB 16x90	3000.1	1
SS400	FB 16x75	3800.1	1
SS400	FB 16x44	900.1	1
SS400	FB 16x38	2100.1	1
SS400	FB 16x38	2500.1	1
SS400	FB 16x32	3200.1	1
SS400	FB 16x32	3400.1	1
SS400	FB 16x25	600.1	1
SS400	FB 16x25	700.1	2
SS400	FB 16x25	800.1	3
SS400	FB 16x25	900.1	3
SS400	FB 16x25	1000.1	1
SS400	FB 16x150	1800.1	1
SS400	FB 16x150	3000.1	1
SS400	FB 16x150	3100.1	1
SS400	FB 16x125	700.1	1
SS400	FB 16x125	1800.1	1
SS400	FB 16x125	4400.1	1
SS400	FB 16x100	4700.1	1
SS400	FB 12x90	2100.1	1
SS400	FB 12x75	1700.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年03月01日

材質	材料名	長さ	本数
SS400	FB 12x75	1900.1	1
SS400	FB 12x75	3600.1	1
SS400	FB 12x65	1100.1	1
SS400	FB 12x65	1900.1	6
SS400	FB 12x65	3800.1	2
SS400	FB 12x50	1800.1	1
SS400	FB 12x50	1900.1	2
SS400	FB 12x50	5200.1	1
SS400	FB 12x44	1600.1	2
SS400	FB 12x38	800.1	2
SS400	FB 12x38	2400.1	4
SS400	FB 12x38	4600.1	1
SS400	FB 12x32	600.1	1
SS400	FB 12x32	700.1	1
SS400	FB 12x32	800.1	12
SS400	FB 12x32	1200.1	5
SS400	FB 12x32	1300.1	2
SS400	FB 12x32	1500.1	1
SS400	FB 12x25	1900.1	1
SS400	FB 12x150	2500.1	3
SS400	FB 12x125	1000.1	1
SS400	FB 12x125	3600.1	1
SS400	FB 12x100	4100.1	1
SD345	D19	1600.1	1
SD345	D16	3600.1	10
SD295	D10	1900.1	1
SGP	8A (13.8x2.3t)	4200.1	1
STKR400	74アケアタ [°] -ク [°] レ-角P3.2x100x100	2300.1	1
STKR400	74アケアタ [°] -ク [°] レ-角P3.2x100x100	2900.1	1
SSC400	74アケアタ [°] -ク [°] レ-C3.2x100x50x20	7500	1
SSC400	74アケアタ [°] -ク [°] レ-C2.3x100x50x20	1500.1	1
SGP	40A (48.6x3.5t)	1100.1	1
SGP	25A (34x3.2t)	1200.1	1
SGP	25A (34x3.2t)	4900.1	1
SGP	20A (27.2x2.8t)	3200.1	1
SGP	15A (21.7x2.8t)	3700.1	1
SGP	15A (21.7x2.8t)	4600.1	1