

切断端材リスト

柏陽鋼機株式会社

「 1.1 」の表記はショットブラスト済み

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SSC400	グレー C 2.3x75x45x15	1000.1	1
SSC400	グレー C 2.3x60x30x10	2600.1	1
STKR400	グレー P 2.3x75x75	1300.1	1
STKR400	グレー P 2.3x50x50	3900.1	1
STKR400	カー P 3.2x60x60	4500.1	1
STKR400	カー P 3.2x50x50	3800.1	1
STKR400	カー P 3.2x125x125	4400.1	1
STKR400	カー P 2.3x75x75	5100.1	1
STKR400	カー P 2.3x100x50	2800.1	1
SSC400	カー C 2.3x75x45x15	3300.1	1
SSC400	カー C 2.3x100x50x20	1500.1	1
SSC400	カー C 3.2x150x50x20	4100.1	1
	磨 棒 6 mm	1800.1	1
	磨 棒 40 mm	2900.1	1
	磨 棒 30 mm	1600.1	1
	磨 棒 30 mm	2200.1	1
	磨 棒 25 mm	3600.1	2
	磨 棒 15 mm	3300.1	1
	磨 棒 10 mm	1400.1	1
SS400	磨 6 mm	1100.1	1
SS400	不等辺不等厚L 11 x 16 x 90 x 3	4200.1	1
SS400	不等辺不等厚L 9x14x90x200	1400.1	1
SS400	不等辺 L 9x90x150	1500.1	1
SS400	不等辺 L 9x90x150	2100.1	3
SS400	不等辺 L 9x90x150	2400.1	12
SS400	不等辺 L 9x100x150	4000.1	1
SS400	不等辺 L 7x75x125	1500.1	1
SS400	不等辺 L 7x75x125	1600.1	1
SS400	不等辺 L 7x75x125	1800.1	1
SS400	不等辺 L 7x75x100	1600.1	18
SS400	不等辺 L 6x50x75	4200.1	1
SS400	不等辺 L 10x75x125	800.1	1
SS400	不等辺 L 10x75x100	1100.1	1
SS400	不等辺 L 10x75x100	1600.1	7
SS400	不等辺 L 10x75x100	1700.1	1
SS400	不等辺 L 10x75x100	3900.1	1
SSC400	黒C 3.2x200x75x20	3601.1	1
SSC400	黒C 3.2x200x75x20	4700.1	1
SSC400	黒C 3.2x150x75x25	1500.1	1
SSC400	黒C 3.2x150x75x25	1700.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SSC400	黒C 3.2x150x75x25	2000.1	2
SSC400	黒C 3.2x150x75x25	2128	2
SSC400	黒C 3.2x100x50x20	5700.1	1
SSC400	黒C 3.2x100x50x20	5800.1	7
SSC400	軽[6x150x75	2000.1	3
SSC400	軽[6x150x75	3000.1	1
SSC400	軽[6x150x75	4000.1	1
SSC400	軽[4.5x200x75	2100.1	1
SSC400	軽[4.5x200x75	4000.1	1
STKR400	角P 9x200x100	2100.1	3
STKR400	角P 9x150x150	2400.1	1
STKR400	角P 9x100x100	1800.1	1
STKR400	角P 6x60x60	1900.1	1
STKR400	角P 6x200x150	2400.1	1
STKR400	角P 6x150x100	1400.1	1
STKR400	角P 6x150x100	3500.1	1
STKR400	角P 6x125x125	1700.1	1
STKR400	角P 6x125x125	2800.1	2
STKR400	角P 6x125x125	3900.1	1
STKR400	角P 6x100x50	4900.1	1
STKR400	角P 6x100x100	1400.1	8
STKR400	角P 6x100x100	1600.1	1
STKR400	角P 6x100x100	3600.1	1
STKR400	角P 4.5x75x75	3100.1	1
STKR400	角P 4.5x75x75	4200.1	1
STKR400	角P 4.5x60x60	4200.1	1
STKR400	角P 4.5x50x50	1700.1	1
STKR400	角P 4.5x200x100	2300.1	1
STKR400	角P 4.5x200x100	4500.1	1
STKR400	角P 4.5x150x150	1100.1	1
STKR400	角P 4.5x150x150	1200.1	1
STKR400	角P 4.5x150x150	1500.1	1
STKR400	角P 4.5x150x100	1500.1	1
STKR400	角P 4.5x125x75	3200.1	1
STKR400	角P 4.5x100x50	1200.1	1
STKR400	角P 4.5x100x50	1801.1	1
STKR400	角P 4.5x100x50	2300.1	1
STKR400	角P 4.5x100x100	1400.1	1
STKR400	角P 3.2x90x90	1300.1	1
STKR400	角P 3.2x90x45	4100.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
STKR400	角 P 3.2x75x45	1600.1	1
STKR400	角 P 3.2x60x60	1000.1	1
STKR400	角 P 3.2x60x60	2600.1	1
STKR400	角 P 3.2x50x50	2500.1	1
STKR400	角 P 3.2x150x100	1900.1	1
STKR400	角 P 3.2x100x50	1100.1	1
STKR400	角 P 3.2x100x50	4100.1	1
STKR400	角 P 3.2x100x100	3900.1	1
	角 P 2x40x40	5800.1	1
STKR400	角 P 2.3x75x75	1100.1	1
STKR400	角 P 2.3x75x45	1900.1	1
STKR400	角 P 2.3x75x45	2400.1	1
STKR400	角 P 2.3x60x60	2000.1	1
STKR400	角 P 2.3x60x60	2800.1	1
	角 P 2.3x60x40	1400.1	1
STKR400	角 P 2.3x60x30	4000.1	1
	角 P 2.3x50x20	2800.1	1
	角 P 2.3x50x20	3700.1	1
	角 P 2.3x40x40	2800.1	1
	角 P 2.3x30x20	2100.1	2
	角 P 2.3x125x40	3700.1	1
STKR400	角 P 2.3x100x50	1200.1	1
STKR400	角 P 2.3x100x50	1700.1	1
STKR400	角 P 2.3x100x100	1900.1	1
STKR400	角 P 1.6x60x30	2900.1	1
	角 P 1.6x40x40	3400.1	1
	角 P 1.6x40x20	3200.1	1
	角 P 1.6x25x25	1900.1	1
	角 P 1.6x19x19	3100.1	1
SR235	9	2400.1	1
SR235	9	5300.1	1
SR235	9	5700.1	1
STK400	60.5x3.2	1200.1	1
STK400	60.5x3.2	3500.1	1
STK400	42.7x2.3	2300.1	1
STK400	34x2.3	2700.1	1
STK400	27.2x2.3	5100.1	1
SS400	22	5100.1	1
SS400	13	2700.1	1
STK400	48.6x2.30	2800.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	9.52x9.52	2100.1	1
SS400	44x44	1000.1	1
SS400	38x38	1200.1	2
SS400	38x38	1300.1	1
SS400	38x38	2500.1	3
SS400	38x38	2900.1	1
SS400	32x32	1400.1	40
SS400	32x32	2000.1	1
SS400	28x28	700.1	1
SS400	28x28	4500.1	1
SS400	25x25	900.1	1
SS400	25x25	3900.1	1
SS400	19x19	1500.1	1
SS400	12.7x12.7	4800.1	1
STKR400	P2.3x150x100	2700.1	1
SS400	[9x90x300	700.1	1
SS400	[9x90x300	800.1	1
SS400	[9x90x300	1100.1	2
SS400	[9x90x300	1600.1	1
SS400	[9x90x300	2700.1	1
SS400	[9x90x250	1000.1	1
SS400	[9x90x250	1200.1	1
SS400	[9x90x250	1400.1	1
SS400	[9x90x250	4700.1	1
SS400	[9x75x150	1000.1	1
SS400	[9x75x150	1600.1	1
SS400	[9x75x150	2500.1	1
SS400	[9x75x150	3500.1	1
SS400	[8x90x200	1100.1	1
SS400	[8x90x200	4900.1	1
SS400	[7x75x180	600.1	1
SS400	[7.5x80x200	600.1	1
SS400	[7.5x80x200	2400.1	2
SS400	[6x65x125	600.1	1
SS400	[6x65x125	800.1	1
SS400	[6x65x125	1100.1	1
SS400	[6.5x75x150	800.1	1
SS400	[6.5x75x150	1000.1	2
SS400	[6.5x75x150	1100.1	1
SS400	[6.5x75x150	1200.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	[6.5x75x150	2800.1	1
SS400	[5x50x100	1000.1	2
SS400	[5x50x100	1400.1	1
SS400	[5x50x100	2000.1	1
SS400	[5x50x100	2400.1	1
SS400	[5x40x75	2900.1	1
SS400	[5x40x75	3100.1	1
SS400	[5x40x75	5000.1	1
SS400	WFB 9x200	800.1	1
SS400	WFB 6x200	800.1	1
SS400	WFB 25x200	1100.1	1
SS400	WFB 25x200	3600.1	1
SS400	WFB 22x200	4600.1	1
SS400	WFB 19x200	1000.1	1
SS400	WFB 16x250	2000.1	1
SS400	WFB 16x200	1800.1	1
SS400	WFB 12x300	1300.1	1
SS400	WFB 12x300	3100.1	1
SS400	WFB 12x250	5200.1	1
SS400	WFB 12x175	3800.1	1
SS400	L 9x75	3500.1	4
SS400	L 9x130	2100.1	1
SS400	L 8x65	3000.1	1
SS400	L 8x120	700.1	1
SS400	L 8x120	1800.1	1
SS400	L 8x120	1800.1	1
SS400	L 7x90	3500.1	1
SS400	L 7x100	1300.1	1
SS400	L 6x75	700.1	2
SS400	L 6x75	900.1	1
SS400	L 6x75	2700.1	1
SS400	L 6x50	600.1	1
SS400	L 6x50	1100.1	1
SS400	L 6x50	1200.1	1
SS400	L 6x50	2300.1	1
SS400	L 6x50	3200.1	1
SS400	L 5x60	5300.1	1
SS400	L 5x40	1800.1	1
SS400	L 5x40	1900.1	2
SS400	L 5x40	4400.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	L 5x30	2800.1	1
SS400	L 4x50	700.1	1
SS400	L 4x50	1200.1	1
SS400	L 4x50	2000.1	1
SS400	L 4x45	5600.1	1
SS400	L 3x40	900.1	9
SS400	L 3x30	900.1	1
SS400	L 3x30	2000.1	1
SS400	L 3x25	2100.1	1
SS400	L 3x25	3101.1	1
SS400	L 19x150	6000.1	1
SS400	L 15x200	1900.1	1
SS400	L 13x90	800.1	1
SS400	L 13x100	3500.1	1
SS400	L 12x75	1800.1	1
SS400	L 12x75	5500.1	2
SS400	L 12x175	2300.1	1
SS400	L 12x175	4600.1	1
SS400	L 12x175	4900.1	1
SS400	L 12x175	5600.1	1
SS400	L 12x130	1011.1	2
SS400	L 12x130	1111.1	1
SS400	L 10x90	5100.1	1
SS400	L 10x90	6101.1	1
SS400	L 10x100	1300.1	2
SS400	L 10x100	1500.1	1
SS400	L 10x100	2400.1	1
SS400	L 10x150	3200.1	1
SS400	H 400x400x13/21	5800.1	2
SS400	H 350x175x7/11	1700.1	1
SS400	H 350x175x7/11	1900.1	1
SS400	H 300x150x6.5/9	900.1	1
SS400	H 300x150x6.5/9	1500.1	1
SS400	H 300x150x6.5/9	3100.1	1
SS400	H 294x200x8/12	10400.1	1
SS400	H 250x125x6/9	3701.1	1
SS400	H 250x125x6/9	8600.1	1
SS400	H 244x175x7/11	2500.1	1
SS400	H 244x175x7/11	3800.1	1
SS400	H 200x100x5.5/8	2800.1	1

切断端材リスト

「 1.1 」の表記はショットプラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	H 200x100x5.5/8	3300.1	1
SS400	H 194x150x6/9	3400.1	1
SS400	H 194x150x6/9	7400.1	1
SS400	H 150x75x5/7	1100.1	2
SS400	H 150x75x5/7	1200.1	2
SS400	H 150x75x5/7	1300.1	1
SS400	H 150x150x7/10	1000	1
SS400	H 150x150x7/10	4700.1	1
SS400	H 148x100x6/9	4200.1	1
SS400	H 125x125x6.5/9	1300.1	1
SS400	H 125x125x6.5/9	2200.1	1
SS400	H 125x125x6.5/9	3200.1	1
SS400	H 100x100x6/8	1000.1	2
SS400	H 100x100x6/8	3300.1	1
SS400	FB 9x80	600.1	2
SS400	FB 9x80	2900.1	1
SS400	FB 9x75	2200.1	1
SS400	FB 9x65	1100.1	1
SS400	FB 9x65	1300.1	1
SS400	FB 9x65	2800.1	1
SS400	FB 9x60	2300.1	2
SS400	FB 9x50	2000.1	1
SS400	FB 9x44	2400.1	1
SS400	FB 9x38	2800.1	1
SS400	FB 9x32	2500.1	1
SN490B	FB 9x25	1200.1	1
SS400	FB 9x25	1300.1	1
SS400	FB 9x22	1300.1	2
SS400	FB 9x22	3700.1	1
SS400	FB 9x19	1600.1	1
SS400	FB 9x16	1000.1	1
SS400	FB 9x150	800.1	2
SS400	FB 9x150	900.1	1
SS400	FB 9x150	1100.1	1
SS400	FB 9x125	1500.1	1
SS400	FB 9x100	1500.1	1
SS400	FB 9x100	1900.1	1
SS400	FB 9x100	2600.1	1
SS400	FB 9x100	5400.1	1
SS400	FB 6x90	5300.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	FB 6x90	5400.1	2
SS400	FB 6x80	5800.1	1
SS400	FB 6x75	1100.1	1
SS400	FB 6x75	3200.1	1
SS400	FB 6x70	4600.1	1
SS400	FB 6x65	1300.1	1
SS400	FB 6x65	5100.1	1
SS400	FB 6x60	4700.1	1
SS400	FB 6x50	2800.1	1
SS400	FB 6x44	1500.1	1
SS400	FB 6x32	2300.1	1
SS400	FB 6x22	2200.1	4
SS400	FB 6x19	5100.1	1
SS400	FB 6x16	1500.1	1
SS400	FB 6x16	2300.1	2
SS400	FB 6x150	600.1	1
SS400	FB 6x150	5400.1	1
SS400	FB 6x13	1700.1	1
SS400	FB 6x13	2400.1	1
SS400	FB 6x125	900.1	1
SS400	FB 6x125	1000.1	1
SS400	FB 6x125	2700.1	2
SS400	FB 6x100	800.1	1
SS400	FB 6x100	1700.1	1
SS400	FB 6x100	2400.1	1
SS400	FB 4.5x75	4800.1	1
SS400	FB 4.5x65	1100.1	1
SS400	FB 4.5x50	2400.1	1
SS400	FB 4.5x50	3100.1	1
SS400	FB 4.5x32	1300.1	1
SS400	FB 4.5x32	3300.1	1
SS400	FB 4.5x25	3900.1	1
SS400	FB 4.5x19	2400.1	4
SS400	FB 4.5x100	3700.1	1
SS400	FB 4.5x100	5100.1	1
SS400	FB 3x38	1400.1	1
SS400	FB 3x25	1600.1	1
SS400	FB 3x25	2100.1	1
SS400	FB 3x13	2700.1	2
SS400	FB 28x150	1400.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	FB 25x90	800.1	1
SS400	FB 25x75	1100.1	1
SS400	FB 25x75	1900.1	1
SS400	FB 25x65	900.1	1
SS400	FB 25x50	1200.1	1
SS400	FB 25x38	1100.1	1
SS400	FB 25x150	3000.1	1
SS400	FB 25x125	1600.1	1
SS400	FB 25x125	2800.1	1
SS400	FB 25x100	600.1	1
SS400	FB 25x100	1100.1	1
SS400	FB 25x100	1900.1	1
SS400	FB 22x75	900.1	1
SS400	FB 22x65	3500.1	1
SS400	FB 22x50	1000.1	1
SS400	FB 22x150	1500.1	1
SS400	FB 22x150	1800.1	2
SS400	FB 22x150	3600.1	1
SS400	FB 22x125	900.1	1
SS400	FB 22x125	1200.1	4
SS400	FB 22x125	1300.1	1
SS400	FB 22x100	1000.1	1
SS400	FB 22x100	1200.1	1
SS400	FB 22x100	1700.1	2
SS400	FB 19x90	1100.1	1
SS400	FB 19x75	1600.1	1
SS400	FB 19x50	1200.1	4
SS400	FB 19x50	1500.1	1
SS400	FB 19x50	1600.1	2
SS400	FB 19x44	1900.1	7
SS400	FB 19x44	2300.1	13
SS400	FB 19x38	800.1	1
SS400	FB 19x38	900.1	7
SS400	FB 19x38	1000.1	5
SS400	FB 19x38	1400.1	1
SS400	FB 19x32	1600.1	1
SS400	FB 19x32	2000.1	1
SS400	FB 19x32	2400.1	1
SS400	FB 19x32	2700.1	1
SS400	FB 19x150	2100.1	1

切断端材リスト

「 1.1 」の表記はショットブラスト済み

柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	FB 19x125	3800.1	1
SS400	FB 19x100	1600.1	2
SS400	FB 16x90	900.1	1
SS400	FB 16x90	1300.1	1
SS400	FB 16x90	3000.1	1
SS400	FB 16x75	1800.1	1
SS400	FB 16x75	2200.1	1
SS400	FB 16x65	1100.1	1
SS400	FB 16x65	2100.1	1
SS400	FB 16x44	3700.1	1
SS400	FB 16x38	900.1	2
SS400	FB 16x38	1100.1	1
SS400	FB 16x38	2100.1	1
SS400	FB 16x38	2500.1	1
SS400	FB 16x32	2400.1	1
SS400	FB 16x32	2700.1	1
SS400	FB 16x25	600.1	3
SS400	FB 16x25	700.1	1
SS400	FB 16x25	800.1	1
SS400	FB 16x25	900.1	3
SS400	FB 16x25	1200.1	1
SS400	FB 16x25	2900.1	1
SS400	FB 16x125	600.1	1
SS400	FB 16x125	1700.1	1
SS400	FB 16x125	4800.1	1
SS400	FB 16x100	1000.1	1
SS400	FB 16x100	1100.1	1
SS400	FB 16x100	1500.1	1
SS400	FB 16x100	1600.1	1
SS400	FB 16x100	1800.1	1
SS400	FB 16x100	2000.1	1
SS400	FB 12x90	2200.1	1
SS400	FB 12x75	1100.1	1
SS400	FB 12x75	2100.1	1
SS400	FB 12x65	1900.1	1
SS400	FB 12x50	5000.1	1
SS400	FB 12x50	5100.1	1
SS400	FB 12x44	1600.1	1
SS400	FB 12x38	1200.1	1
SS400	FB 12x32	600.1	1

切断端材リスト

「 1.1 」の表記はショットプラスト済み

柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年07月22日

材質	材料名	長さ	本数
SS400	FB 12x32	700.1	1
SS400	FB 12x32	800.1	12
SS400	FB 12x32	1200.1	3
SS400	FB 12x32	1300.1	3
SS400	FB 12x32	2300.1	1
SS400	FB 12x25	800.1	1
SS400	FB 12x150	2500.1	1
SS400	FB 12x125	1200.1	2
SS400	FB 12x125	1400.1	3
SS400	FB 12x125	2500.1	2
SS400	FB 12x100	5400.1	1
SD345	D19	1600.1	1
SD345	D16	3600.1	10
SGP	8A (13.8x2.3t)	2600.1	1
STKR400	74アケアタ [°] -ク [°] レ-角P3.2x100x100	2100.1	1
STKR400	74アケアタ [°] -ク [°] レ-角P3.2x100x100	6600.1	1
STKR400	74アケアタ [°] -ク [°] レ-角P2.3x100x100	2500.1	1
STKR400	74アケアタ [°] -ク [°] レ-角P2.3x100x100	4200.1	1
STKR400	74アケアタ [°] -ク [°] レ-角P2.3x100x100	6000.1	1
SSC400	74アケアタ [°] -ク [°] レ-C3.2x100x50x20	3300.1	1
SSC400	74アケアタ [°] -ク [°] レ-C2.3x100x50x20	1200.1	1
SSC400	74アケアタ [°] -ク [°] レ-C2.3x100x50x20	2000.1	2
SSC400	74アケアタ [°] -ク [°] レ-C2.3x100x50x20	2100.1	1
SSC400	74アケアタ [°] -ク [°] レ-C2.3x100x50x20	2200.1	1
SSC400	74アケアタ [°] -ク [°] レ-C2.3x100x50x20	2500.1	4
SSC400	74アケアタ [°] -ク [°] レ-C2.3x100x50x20	3100.1	1
SGP	40A (48.6x3.5t)	2200.1	1
SGP	40A (48.6x3.5t)	2400.1	1
SGP	32A (42.7x3.5t)	3000.1	1
SGP	25A (34x3.2t)	1000.1	1
SGP	25A (34x3.2t)	2400.1	1
SGP	20A (27.2x2.8t)	1000.1	1
SGP	20A (27.2x2.8t)	1700.1	1
SGP	20A (27.2x2.8t)	3000.1	1
SGP	15A (21.7x2.8t)	2100.1	1
SGP	15A (21.7x2.8t)	4000.1	1