

# 切断端材リスト

## 柏陽鋼機株式会社

「 1.1 」の表記はショットブラスト済み

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SSC400	グレ C 2.3x60x30x10	1600.1	1
STKR400	グレ P 3.2x75x75	4500.1	1
STKR400	グレ P 2.3x75x75	3400.1	1
STKR400	グレ P 2.3x100x50	1200.1	1
STKR400	カー P 6x175x175	2900.1	1
STKR400	カー P 3.2x60x60	2300.1	1
STKR400	カー P 3.2x50x50	3800.1	1
STKR400	カー P 3.2x125x125	1800.1	1
STKR400	カー P 3.2x125x125	1900.1	1
STKR400	カー P 3.2x100x100	1900.1	1
STKR400	カー P 2.3x75x75	1900.1	1
STKR400	カー P 2.3x60x30	3300.1	1
STKR400	カー P 2.3x50x50	5100.1	1
SSC400	カー C 2.3x60x30x10	3600.1	1
	磨 棒 6 mm	2700.1	1
	磨 棒 40 mm	2504.1	1
	磨 棒 30 mm	2200.1	1
	磨 棒 25 mm	3400.1	1
	磨 棒 25 mm	3600.1	1
	磨 棒 15 mm	3300.1	1
	磨 棒 12 mm	3300.1	1
	磨 棒 10 mm	3800.1	1
SS400	磨 6 mm	800.1	1
SS400	不等辺不等厚L 11 x 16 x 90 x 3	4200.1	1
SS400	不等辺不等厚L 9x14x90x200	2500.1	1
SS400	不等辺 L 9x90x150	600.1	9
SS400	不等辺 L 9x90x150	3800.1	2
SS400	不等辺 L 9x75x90	1600.1	1
SS400	不等辺 L 9x75x90	3800.1	1
SS400	不等辺 L 9x100x150	3400.1	10
SS400	不等辺 L 9x100x150	3700.1	3
SS400	不等辺 L 9x100x150	4000.1	1
SS400	不等辺 L 9x100x150	9900.1	1
SS400	不等辺 L 7x75x125	1900.1	1
SS400	不等辺 L 7x75x125	3400.1	1
SS400	不等辺 L 10x90x125	4600.1	1
SS400	不等辺 L 10x75x100	701.1	1
SS400	不等辺 L 10x75x100	1000.1	1
SS400	不等辺 L 10x75x100	1600.1	6
SS400	不等辺 L 10x75x100	1800.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SSC400	黒C 3.2x200x75x20	2600.1	1
SSC400	黒C 2.3x100x50x20	1700.1	1
SSC400	黒C 2.3x100x50x20	1900.1	2
SSC400	黒C 2.3x100x50x20	4400.1	1
SSC400	軽[ 6x150x75	2000.1	3
SSC400	軽[ 6x150x75	3000.1	1
SSC400	軽[ 6x150x75	4000.1	1
SSC400	軽[ 4.5x250x50	1100.1	1
SSC400	軽[ 4.5x200x75	2100.1	1
SSC400	軽[ 4.5x200x75	4000.1	1
SSC400	軽[ 4.5x150x50	1600.1	1
STKR400	角 P 9x200x100	2100.1	3
STKR400	角 P 9x150x150	1500.1	1
STKR400	角 P 9x150x150	2200.1	1
STKR400	角 P 9x150x150	2800.1	3
STKR400	角 P 9x125x125	1900.1	1
STKR400	角 P 9x100x100	1500.1	1
STKR400	角 P 6x200x150	2200.1	1
STKR400	角 P 6x200x150	2400.1	1
STKR400	角 P 6x150x100	1400.1	1
STKR400	角 P 6x125x75	2300.1	1
STKR400	角 P 6x125x125	1100.1	1
STKR400	角 P 6x125x125	2800.1	1
STKR400	角 P 6x100x50	4900.1	1
STKR400	角 P 6x100x100	1400.1	2
STKR400	角 P 4.5x75x75	700.1	1
STKR400	角 P 4.5x75x75	900.1	1
STKR400	角 P 4.5x75x75	1200.1	3
STKR400	角 P 4.5x75x75	1400.1	1
STKR400	角 P 4.5x75x75	1600.1	1
STKR400	角 P 4.5x75x45	1300.1	1
STKR400	角 P 4.5x200x100	4500.1	1
STKR400	角 P 4.5x150x75	3600	1
STKR400	角 P 4.5x150x150	3600.1	1
STKR400	角 P 4.5x150x100	4100.1	1
STKR400	角 P 4.5x150x100	4200.1	1
STKR400	角 P 4.5x125x75	4400.1	1
STKR400	角 P 4.5x100x50	1000.1	2
STKR400	角 P 4.5x100x50	1801.1	1
STKR400	角 P 4.5x100x50	3500.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
STKR400	角 P 4.5x100x100	600.1	1
STKR400	角 P 4.5x100x100	1400.1	2
STKR400	角 P 4.5x100x100	1600.1	1
STKR400	角 P 4.5x100x100	1800.1	1
STKR400	角 P 4.2x75x50	4300.1	1
STKR400	角 P 3.2x90x90	1300.1	1
STKR400	角 P 3.2x90x45	4100.1	1
STKR400	角 P 3.2x75x75	3000.1	1
STKR400	角 P 3.2x60x60	800.1	1
STKR400	角 P 3.2x60x30	1000.1	2
STKR400	角 P 3.2x60x30	2000.1	1
STKR400	角 P 3.2x60x30	3100.1	1
STKR400	角 P 3.2x50x50	2000.1	1
STKR400	角 P 3.2x50x50	2200.1	1
STKR400	角 P 3.2x150x100	1900.1	1
STKR400	角 P 3.2x125x75	2500.1	1
STKR400	角 P 3.2x125x125	1500.1	1
STKR400	角 P 3.2x125x125	3400.1	1
STKR400	角 P 3.2x100x50	1200.1	1
STKR400	角 P 3.2x100x100	1000.1	3
STKR400	角 P 3.2x100x100	1400.1	1
	角 P 2x40x40	5800.1	1
STKR400	角 P 2.3x75x45	2100.1	1
STKR400	角 P 2.3x60x60	1900.1	2
STKR400	角 P 2.3x60x60	2000.1	1
	角 P 2.3x60x40	1400.1	1
STKR400	角 P 2.3x60x40	1900.1	1
STKR400	角 P 2.3x60x30	1500.1	1
STKR400	角 P 2.3x60x30	3600.1	1
STKR400	角 P 2.3x50x50	600.1	1
STKR400	角 P 2.3x50x50	4300.1	1
STKR400	角 P 2.3x50x30	4900.1	1
	角 P 2.3x50x20	2800.1	1
	角 P 2.3x40x40	900.1	1
	角 P 2.3x40x40	1900.1	1
STKR400	角 P 2.3x40x40	2400.1	1
	角 P 2.3x30x30	2800.1	1
	角 P 2.3x30x20	1100.1	1
	角 P 2.3x30x20	2100.1	1
STKR400	角 P 2.3x125x75	3400.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
	角 P 2.3x125x40	3700.1	1
STKR400	角 P 2.3x100x50	801.1	1
STKR400	角 P 2.3x100x50	1700.1	1
STKR400	角 P 1.6x60x30	2900.1	1
STKR400	角 P 1.6x50x50	5200.1	1
	角 P 1.6x40x40	3800.1	1
SR235	9	1400.1	1
SR235	9	2400.1	1
STK400	60.5x3.2	1400.1	1
STK400	60.5x3.2	2200.1	1
SR235	6	4500.1	1
STK400	42.7x2.3	1400.1	1
STK400	34x2.3	1500.1	1
STK400	34x2.3	2200.1	1
STK400	27.2x2.3	4900.1	1
SS400	25	5600.1	1
SS400	22	5100.1	1
SS400	16	4000.1	1
SS400	13	2100.1	1
SS400	13	2700.1	1
SS400	9.52x9.52	700.1	1
SS400	9.52x9.52	2300.1	1
SS400	44x44	1000.1	1
SS400	44x44	4200.1	1
SS400	38x38	2500.1	2
SS400	38x38	2900.1	1
SS400	32x32	1400.1	53
SS400	28x28	700.1	1
SS400	28x28	4500.1	1
SS400	25x25	900.1	2
SS400	25x25	5300.1	1
SS400	22x22	2400.1	2
SS400	16x16	3300.1	1
SS400	12.7x12.7	4200.1	1
SS400	[ 9x90x300	2200.1	2
SS400	[ 9x90x300	3000.1	1
SS400	[ 9x90x300	4300.1	1
SS400	[ 9x90x250	600.1	1
SS400	[ 9x90x250	2200.1	1
SS400	[ 9x90x250	3200.1	1

# 切断端材リスト

## 柏陽鋼機株式会社

「 1.1 」の表記はショットブラスト済み

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SS400	[ 9x90x250	3300.1	1
SS400	[ 9x75x150	4100.1	1
SS400	[ 9x75x150	4300.1	1
SS400	[ 8x90x200	900.1	1
SS400	[ 7x75x180	1600.1	3
SS400	[ 7x75x180	2300.1	1
SS400	[ 7.5x80x200	600.1	2
SS400	[ 7.5x80x200	700.1	1
SS400	[ 7.5x80x200	2400.1	2
SS400	[ 7.5x80x200	4600.1	3
SS400	[ 6x65x125	600.1	1
SS400	[ 6x65x125	700.1	1
SS400	[ 6x65x125	1100.1	1
SS400	[ 6x65x125	1300.1	1
SS400	[ 6x65x125	3200.1	1
SS400	[ 6x65x125	3201.1	1
SS400	[ 6.5x75x150	2000.1	1
SS400	[ 5x50x100	800.1	1
SS400	[ 5x50x100	1000.1	1
SS400	[ 5x50x100	3401.1	1
SS400	[ 5x40x75	600.1	2
SS400	[ 5x40x75	1800.1	1
SS400	[ 5x40x75	2900.1	1
SS400	[ 5x40x75	5400.1	2
SS400	[ 11x90x250	1003.8	2
SS400	[ 10.5x100x380	4400.1	1
SS400	WFB 9x300	1900.1	1
SS400	WFB 9x300	2900.1	1
SS400	WFB 9x300	5700.1	1
SS400	WFB 9x200	2900.1	1
SS400	WFB 6x200	1000.1	1
SS400	WFB 25x200	1100.1	1
SS400	WFB 25x200	3600.1	1
SS400	WFB 22x200	4600.1	1
SS400	WFB 19x200	1000.1	1
SS400	WFB 16x250	2000.1	1
SS400	WFB 16x200	1800.1	1
SS400	WFB 12x300	1300.1	1
SS400	WFB 12x300	3100.1	1
SS400	WFB 12x250	4100.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SS400	WFB 12x175	3800.1	1
SS400	L 9x75	1200.1	7
SS400	L 9x75	1600.1	3
SS400	L 9x75	2100.1	1
SS400	L 9x75	2300.1	1
SS400	L 9x75	2601.1	1
SS400	L 9x75	4200.1	1
SS400	L 9x75	5200.1	1
SS400	L 7x90	600.1	1
SS400	L 7x90	5900.1	2
SS400	L 6x75	800.1	1
SS400	L 6x65	1400.1	1
SS400	L 6x65	5400.1	1
SS400	L 6x50	600.1	1
SS400	L 5x50	1100.1	1
SS400	L 5x40	1700.1	1
SS400	L 5x40	1800.1	2
SS400	L 5x30	1200.1	1
SS400	L 5x30	1700.1	1
SS400	L 5x30	5400.1	1
SS400	L 4x50	900.1	1
SS400	L 4x50	1400.1	1
SS400	L 4x50	2000.1	1
SS400	L 4x50	2400.1	1
SS400	L 4x50	4200.1	1
SS400	L 4x45	3500.1	1
SS400	L 3x40	600.1	2
SS400	L 3x40	900.1	9
SS400	L 3x40	1200.1	8
SS400	L 3x40	1300.1	2
SS400	L 3x30	500.1	1
SS400	L 3x25	1000.1	1
SS400	L 3x25	1100.1	1
SS400	L 3x25	2400.1	2
SS400	L 19x150	6000.1	1
SS400	L 15x200	900.1	1
SS400	L 13x90	700.1	1
SS400	L 13x100	1601.1	1
SS400	L 12x75	1800.1	1
SS400	L 12x75	3400.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SS400	L 12x75	5500.1	1
SS400	L 12x175	1700.1	1
SS400	L 12x175	4900.1	1
SS400	L 12x175	5600.1	1
SS400	L 12x130	900.1	1
SS400	L 10x90	1300.1	1
SS400	L 10x100	1000.1	1
SS400	L 10x100	1200.1	1
SS400	L 10x100	3100.1	1
SS400	L 10x100	4500.1	1
SS400	L 10x150	3200.1	1
SS400	H 350x350x12/19	6300	1
SS400	H 300x150x6.5/9	1000.1	1
SS400	H 300x150x6.5/9	2900.1	1
SS400	H 300x150x6.5/9	3100.1	1
SS400	H 294x200x8/12	7900.1	1
SS400	H 294x200x8/12	9000.1	1
SS400	H 250x125x6/9	1300.1	2
SS400	H 250x125x6/9	6300.1	1
SS400	H 244x175x7/11	3800.1	1
SS400	H 200x200x8/12	700.1	1
SS400	H 200x200x8/12	1300.1	1
SS400	H 200x200x8/12	3200.1	1
SS400	H 200x100x5.5/8	2600.1	1
SS400	H 200x100x5.5/8	3800.1	1
SS400	H 200x100x5.5/8	6200.1	1
SS400	H 194x150x6/9	11000.1	1
SS400	H 175x90x5/8	1400.1	1
SS400	H 175x175x7.5/11	1200.1	1
SS400	H 175x175x7.5/11	1700.1	1
SS400	H 175x175x7.5/11	3900.1	1
SS400	H 150x75x5/7	500.1	3
SS400	H 150x75x5/7	1100.1	3
SS400	H 150x75x5/7	1300.1	1
SS400	H 150x75x5/7	1800.1	1
SS400	H 150x150x7/10	500.1	1
SS400	H 150x150x7/10	600.1	1
SS400	H 150x150x7/10	900.1	2
SS400	H 150x150x7/10	5000.1	1
SS400	H 125x60x6/8	600.1	2

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SS400	H 125x125x6.5/9	1200.1	1
SS400	H 125x125x6.5/9	2900.1	1
SS400	H 125x125x6.5/9	3000.1	1
SS400	H 100x100x6/8	1600.1	1
SS400	FB 9x65	700.1	1
SS400	FB 9x65	900.1	1
SS400	FB 9x65	1300.1	1
SS400	FB 9x65	1600.1	1
SS400	FB 9x60	5400.1	1
SS400	FB 9x50	1100.1	1
SS400	FB 9x50	4500.1	1
SS400	FB 9x44	5200.1	1
SS400	FB 9x38	1400.1	1
SS400	FB 9x32	1800.1	1
SS400	FB 9x25	600.1	1
SN490B	FB 9x25	700.1	1
SS400	FB 9x25	1200.1	1
SS400	FB 9x22	1300.1	2
SS400	FB 9x19	1000.1	1
SS400	FB 9x19	1600.1	1
SS400	FB 9x16	600.1	1
SS400	FB 9x150	700.1	19
SS400	FB 9x150	1000.1	1
SS400	FB 9x150	1100.1	2
SS400	FB 9x150	2100.1	2
SS400	FB 9x125	2800.1	1
SS400	FB 9x100	2100.1	1
SS400	FB 6x90	1400.1	2
SS400	FB 6x90	1500.1	9
SS400	FB 6x80	5900.1	1
SS400	FB 6x70	4600.1	1
SS400	FB 6x60	1500.1	1
SS400	FB 6x50	600.1	1
SS400	FB 6x50	1000.1	1
SS400	FB 6x44	2700.1	1
SS400	FB 6x38	1500.1	1
SS400	FB 6x38	4200.1	1
SS400	FB 6x32	500.1	21
SS400	FB 6x32	600.9	9
SS400	FB 6x32	800.1	2



# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SS400	FB 6x32	1500.1	1
SS400	FB 6x25	900.1	1
SS400	FB 6x25	4100.1	1
SS400	FB 6x22	2200.1	4
SS400	FB 6x19	5100.1	1
SS400	FB 6x16	1500.1	1
SS400	FB 6x16	2300.1	2
SS400	FB 6x150	1400.1	1
SS400	FB 6x13	2400.1	1
SS400	FB 6x125	1900.1	1
SS400	FB 6x100	800.1	1
SS400	FB 6x100	1400.1	1
SS400	FB 6x100	4100.1	1
SS400	FB 4.5x75	4800.1	1
SS400	FB 4.5x50	1100.1	1
SS400	FB 4.5x32	4000.1	1
SS400	FB 4.5x19	2400.1	3
SS400	FB 4.5x100	700.1	1
SS400	FB 4.5x100	2400.1	6
SS400	FB 3x38	1400.1	1
SS400	FB 3x38	2500.1	8
SS400	FB 3x38	2700.1	1
SS400	FB 3x32	4500.1	1
SS400	FB 3x25	2100.1	1
SS400	FB 3x25	3300.1	1
SS400	FB 3x22	3900.1	1
SS400	FB 3x19	1700.1	1
SS400	FB 3x13	1500.1	1
SS400	FB 28x150	1400.1	1
SS400	FB 28x125	2400.1	2
SS400	FB 25x90	800.1	1
SS400	FB 25x75	700.1	1
SS400	FB 25x50	900.1	1
SS400	FB 25x50	1100.1	1
SS400	FB 25x50	1300.1	1
SS400	FB 25x38	1100.1	1
SS400	FB 25x150	1400.1	1
SS400	FB 25x100	800.1	1
SS400	FB 25x100	1200.1	1
SS400	FB 25x100	2400.1	2

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SS400	FB 22x75	900.1	1
SS400	FB 22x75	1000.1	1
SS400	FB 22x65	1400.1	2
SS400	FB 22x65	3500.1	1
SS400	FB 22x50	4000.1	1
SS400	FB 22x150	1000.1	2
SS400	FB 22x150	1500.1	1
SS400	FB 22x150	1600.1	2
SS400	FB 22x150	1800.1	2
SS400	FB 22x150	3600.1	1
SS400	FB 22x125	900.1	1
SS400	FB 22x125	1200.1	4
SS400	FB 22x125	1300.1	1
SS400	FB 22x125	3200.1	1
SS400	FB 22x125	5400.1	1
SS400	FB 19x90	1100.1	1
SS400	FB 19x90	1300.1	1
SS400	FB 19x75	600.1	1
SS400	FB 19x75	800.1	1
SS400	FB 19x75	3300.1	1
SS400	FB 19x65	2000.1	1
SS400	FB 19x50	600.1	1
SS400	FB 19x44	1500.1	1
SS400	FB 19x44	1900.1	5
SS400	FB 19x44	2300.1	13
SS400	FB 19x38	800.1	1
SS400	FB 19x38	900.1	6
SS400	FB 19x38	1000.1	5
SS400	FB 19x32	2000.1	1
SS400	FB 19x32	2700.1	1
SS400	FB 19x125	3300.1	1
SS400	FB 16x90	1100.1	1
SS400	FB 16x90	3000.1	1
SS400	FB 16x75	500.1	1
SS400	FB 16x75	600.1	2
SS400	FB 16x75	1500.1	2
SS400	FB 16x75	1600.1	1
SS400	FB 16x65	1300.1	1
SS400	FB 16x50	1900.1	1
SS400	FB 16x44	3600.1	1

# 切断端材リスト

## 柏陽鋼機株式会社

「 1.1 」の表記はショットブラスト済み

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SS400	FB 16x38	2100.1	1
SS400	FB 16x38	2500.1	1
SS400	FB 16x32	800.1	1
SS400	FB 16x32	1100.1	1
SS400	FB 16x32	1500.1	1
SS400	FB 16x25	700.1	3
SS400	FB 16x25	800.1	1
SS400	FB 16x25	900.1	3
SS400	FB 16x25	1000.1	2
SS400	FB 16x150	800.1	1
SS400	FB 16x150	2200.1	1
SS400	FB 16x125	1700.1	1
SS400	FB 16x125	4800.1	1
SS400	FB 16x100	700.1	1
SS400	FB 16x100	2100.1	1
SS400	FB 12x90	2000.1	1
SS400	FB 12x75	1100.1	2
SS400	FB 12x75	1200.1	1
SS400	FB 12x65	1700.1	1
SS400	FB 12x65	3700.1	1
SS400	FB 12x50	3100.1	1
SS400	FB 12x50	3400.1	1
SS400	FB 12x44	700.1	8
SS400	FB 12x44	800.1	2
SS400	FB 12x44	1400.1	2
SS400	FB 12x38	2900.1	1
SS400	FB 12x38	5400.1	1
SS400	FB 12x32	600.1	1
SS400	FB 12x32	700.1	5
SS400	FB 12x32	800.1	11
SS400	FB 12x32	1200.1	3
SS400	FB 12x32	1300.1	3
SS400	FB 12x25	800.1	1
SS400	FB 12x150	2400.1	2
SS400	FB 12x125	1200.1	2
SS400	FB 12x125	1400.1	2
SS400	FB 12x125	2500.1	1
SS400	FB 12x100	2000.1	1
SS400	FB 12x100	4000.1	1
SD345	D19	1600.1	1

# 切断端材リスト

## 柏陽鋼機株式會社

「 1.1 」の表記はショットブラスト済み

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2024年11月01日

材質	材料名	長さ	本数
SD345	D16	3600.1	10
SGP	8A ( 13.8x2.3t )	3800.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P3.2x100x100	2000.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P3.2x100x100	2100.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P3.2x100x100	4800.1	2
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P2.3x100x100	2800.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P2.3x100x100	5900.1	1
SSC400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-C2.3x100x50x20	1000.1	1
SSC400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-C2.3x100x50x20	1900.1	1
SSC400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-C2.3x100x50x20	4900.1	1
SGP	40A ( 48.6x3.5t )	1600.1	1
SGP	40A ( 48.6x3.5t )	4000.1	1
SGP	32A ( 42.7x3.5t )	1300.1	1
SGP	32A ( 42.7x3.5t )	2600.1	1
SGP	25A ( 34x3.2t )	1900.1	1
SGP	25A ( 34x3.2t )	3500.1	1
SGP	20A ( 27.2x2.8t )	2100.1	1
SGP	15A ( 21.7x2.8t )	4000.1	1
SGP	10A ( 17.3x2.3t )	5100.1	1