

# 切断端材リスト

# 柏陽鋼機株式會社

「 1.1 」の表記はショットブラスト済み

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SSC400	グレー C 2.3x60x30x10	2300.1	1
SSC400	グレー C 2.3x60x30x10	5900.1	1
STKR400	グレー P 2.3x50x50	5300.1	1
STKR400	カー P 6x175x175	2900.1	1
STKR400	カー P 4.5x75x75	1200.1	1
STKR400	カー P 4.5x100x100	1900.1	1
STKR400	カー P 4.5x100x100	2400.1	1
STKR400	カー P 3.2x75x75	1700.1	1
STKR400	カー P 3.2x60x60	1600.1	3
STKR400	カー P 3.2x60x60	2000.1	1
STKR400	カー P 3.2x60x60	3200.1	1
STKR400	カー P 3.2x60x60	6400.1	1
STKR400	カー P 3.2x50x50	2100.1	1
STKR400	カー P 3.2x125x125	1200.1	1
STKR400	カー P 3.2x100x50	1700.1	1
STKR400	カー P 3.2x100x100	2000.1	1
STKR400	カー P 2.3x75x75	1300.1	1
STKR400	カー P 2.3x60x60	1800.1	1
STKR400	カー P 2.3x50x50	3200.1	1
	カー P 2.3x40x40	1100.1	1
STKR400	カー P 2.3x100x50	1300.1	1
STKR400	カー P 2.3x100x50	1900.1	3
SSC400	カー C 3.2x100x50x20	1800.1	1
SSC400	カー C 2.3x75x45x15	1900.1	2
SSC400	カー C 2.3x75x45x15	3800.1	1
SSC400	カー C 2.3x60x30x10	3500.1	1
SSC400	カー C 2.3x100x50x20	1400.1	1
SSC400	カー C 2.3x100x50x20	2200.1	1
SSC400	カー C 1.6x60x30x10	1500.1	1
STKR400	カー P 2.3x100x100	2900.1	1
	磨 棒 6 mm	1800.1	1
	磨 棒 30 mm	2200.1	1
	磨 棒 25 mm	3000.1	1
	磨 棒 20 mm	5900.1	1
	磨 棒 10 mm	1400.1	1
SS400	磨 6 mm	360.1	1
SS400	不等辺不等厚L 11 x 16 x 90 x 3	4900.1	1
SS400	不等辺不等厚L 9x14x90x200	1400.1	1
SS400	不等辺 L 9x90x150	700.1	3
SS400	不等辺 L 9x90x150	800.1	6

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	不等辺 L 9x90x150	900.1	1
SS400	不等辺 L 9x90x150	1000.1	1
SS400	不等辺 L 9x90x150	1300.1	1
SS400	不等辺 L 9x90x150	2200.1	1
SS400	不等辺 L 9x90x150	3600.1	1
SS400	不等辺 L 9x90x150	5800.1	1
SS400	不等辺 L 7x75x125	700.1	2
SS400	不等辺 L 7x75x125	1100.1	1
SS400	不等辺 L 7x75x125	3000.1	1
SS400	不等辺 L 7x75x100	900.1	1
SS400	不等辺 L 7x75x100	1900.1	1
SS400	不等辺 L 7x75x100	2800.1	1
SS400	不等辺 L 6x75x90	1000.1	1
SS400	不等辺 L 6x75x90	1800.1	2
SS400	不等辺 L 6x50x75	1600.1	1
SS400	不等辺 L 6x50x75	1900.1	1
SS400	不等辺 L 15x100x150	1400.1	6
SS400	不等辺 L 15x100x150	5200.1	1
SS400	不等辺 L 10x90x125	1200.1	1
SS400	不等辺 L 10x75x100	1800.1	4
SS400	不等辺 L 10x75x100	5500.1	1
SSC400	黒C 3.2x200x75x20	2100.1	1
SSC400	黒C 3.2x100x50x20	2600.1	1
SSC400	黒C 3.2x100x50x20	2800.1	1
SSC400	黒C 3.2x100x50x20	2900.1	1
SSC400	黒C 3.2x100x50x20	3400.1	1
SSC400	黒C 3.2x100x50x20	3500.1	1
SSC400	黒C 2.3x75x45x15	5200.1	1
SSC400	黒C 2.3x60x30x10	2200.1	1
SSC400	黒C 2.3x60x30x10	4900.1	1
SSC400	黒C 2.3x100x50x20	1100.1	1
SSC400	黒C 2.3x100x50x20	8300.1	1
SSC400	黒C 1.6x75x45x15	3200.1	1
SSC400	軽[ 6x150x75	3000.1	1
SSC400	軽[ 4.5x150x50	1900.1	1
SSC400	軽[ 4.5x150x50	2000.1	1
SSC400	軽[ 3.2x100x50	4800.1	1
STKR400	角 P 9x150x100	1500.1	1
STKR400	角 P 9x125x125	4200.1	1
STKR400	角 P 9x125x125	4400.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
STKR400	角 P 6x60x60	4900.1	1
STKR400	角 P 6x50x50	2100.1	1
STKR400	角 P 6x150x80	2000.1	1
STKR400	角 P 6x150x80	4000.1	1
STKR400	角 P 6x150x150	2900.1	1
STKR400	角 P 6x150x150	5900.1	1
STKR400	角 P 6x150x100	1600.1	1
STKR400	角 P 6x125x125	1100.1	1
STKR400	角 P 6x125x125	2100.1	1
STKR400	角 P 6x100x100	3000.1	1
STKR400	角 P 4.5x75x75	1800.1	1
STKR400	角 P 4.5x75x75	3900.1	1
STKR400	角 P 4.5x60x60	3400.1	1
STKR400	角 P 4.5x200x150	1900.1	1
STKR400	角 P 4.5x200x100	2600.1	1
STKR400	角 P 4.5x150x80	3300.1	1
STKR400	角 P 4.5x150x75	1300.1	1
STKR400	角 P 4.5x150x150	1900.1	1
STKR400	角 P 4.5x150x150	2100.1	1
STKR400	角 P 4.5x150x100	3000.1	1
STKR400	角 P 4.5x125x75	1200.1	1
STKR400	角 P 4.5x125x75	4400.1	1
STKR400	角 P 4.5x100x50	2900.1	1
STKR400	角 P 4.5x100x100	1100.1	1
STKR400	角 P 4.5x100x100	1323.1	1
STKR400	角 P 4.5x100x100	1400.1	1
STKR400	角 P 4.5x100x100	1500.1	2
STKR400	角 P 4.2x75x50	2400.1	1
STKR400	角 P 4.2x100x40	1600.1	1
	角 P 3.2x80x40	1900.1	1
STKR400	角 P 3.2x75x75	1700.1	1
STKR400	角 P 3.2x75x75	4400.1	1
STKR400	角 P 3.2x75x75	5900.1	1
STKR400	角 P 3.2x75x45	1400.1	1
STKR400	角 P 3.2x75x45	2000.1	1
STKR400	角 P 3.2x60x60	1200.1	1
STKR400	角 P 3.2x60x60	3100.1	1
STKR400	角 P 3.2x60x30	4500.1	1
STKR400	角 P 3.2x50x50	1700.1	1
	角 P 3.2x40x40	2500.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
	角 P 3.2x40x40	2800.1	1
STKR400	角 P 3.2x150x50	2500.1	1
STKR400	角 P 3.2x125x75	1800.1	1
STKR400	角 P 3.2x125x75	2000.1	1
STKR400	角 P 3.2x125x125	4200.1	1
STKR400	角 P 3.2x100x50	1500.1	1
STKR400	角 P 3.2x100x50	4700.1	1
STKR400	角 P 3.2x100x100	1600.1	1
STKR400	角 P 3.2x100x100	1800.1	4
STKR400	角 P 3.2x100x100	2200.1	1
STKR400	角 P 3.2x100x100	2800.1	1
STKR400	角 P 2.3x80x80	4400.1	1
STKR400	角 P 2.3x75x75	2100.1	1
STKR400	角 P 2.3x75x75	2900.1	1
STKR400	角 P 2.3x75x75	3800.1	1
STKR400	角 P 2.3x75x45	1900.1	1
STKR400	角 P 2.3x60x60	1200.1	1
	角 P 2.3x60x40	1400.1	1
STKR400	角 P 2.3x60x30	1500.1	1
STKR400	角 P 2.3x60x30	1800.1	1
STKR400	角 P 2.3x60x30	3900.1	1
STKR400	角 P 2.3x50x50	1200.1	1
STKR400	角 P 2.3x50x50	2500.1	1
	角 P 2.3x50x20	2700.1	1
	角 P 2.3x40x40	3300.1	1
	角 P 2.3x30x30	5100.1	1
	角 P 2.3x30x20	1000.1	1
	角 P 2.3x125x40	3700.1	1
STKR400	角 P 2.3x100x50	1500.1	1
STKR400	角 P 2.3x100x100	2900.1	1
STKR400	角 P 12x300x200	1700.1	1
STKR400	角 P 12x250x150	3600.1	1
STKR400	角 P 1.6x50x50	2100.1	1
STKR400	角 P 1.6x50x50	3100.1	1
	角 P 1.6x40x20	1300.1	1
	角 P 1.6x25x25	2100.1	1
	角 P 1.2x25x25	4400.1	1
SR235	9	4300.1	1
STK400	60.5x3.2	1100.1	2
STK400	60.5x3.2	1400.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
STK400	42.7x2.3	1100.1	1
STK400	42.7x2.3	1400.1	1
SS400	25	5300.1	1
SS400	19	900.1	1
SS400	13	1400.1	1
SS400	13	2900.1	1
SS400	13	3000.1	1
SS400	9.52x9.52	1000.1	1
SS400	9.52x9.52	2300.1	1
SS400	9.52x9.52	2600.1	1
SS400	50x50	5300.1	1
SS400	44x44	900.1	1
SS400	44x44	1000.1	1
SS400	38x38	3500.1	1
SS400	32x32	1400.1	5
SS400	32x32	3300.1	1
SS400	28x28	3900.1	1
SS400	25x25	1700.1	1
SS400	22x22	900.1	1
SS400	22x22	3700.1	1
SS400	19x19	1200.1	1
SS400	19x19	2900.1	1
SS400	12.7x12.7	3200.1	1
SS400	100x100	2300.1	1
SS400	[ 9x90x300	8800.1	1
SS400	[ 9x90x250	1000.1	1
SS400	[ 9x90x250	2700.1	1
SS400	[ 9x75x150	800.1	1
SS400	[ 9x75x150	1300.1	2
SS400	[ 9x75x150	1900.1	1
SS400	[ 8x90x200	1200.1	1
SS400	[ 7x75x180	1000.1	1
SS400	[ 7x75x180	1600.1	1
SS400	[ 7.5x80x200	1200.1	1
SS400	[ 7.5x80x200	2400.1	1
SS400	[ 7.5x80x200	4600.1	1
SS400	[ 6x65x125	900.1	1
SS400	[ 6.5x75x150	3200.1	1
SS400	[ 5x50x100	800.1	1
SS400	[ 5x50x100	1300.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	[ 5x40x75	4600.1	1
SS400	[ 12x90x300	2000.1	1
SS400	[ 11x90x250	4000.1	1
SS400	WFB 9x300	4100.1	1
SS400	WFB 9x200	1300.1	1
SS400	WFB 9x200	3500.1	1
SS400	WFB 6x200	900.1	1
SS400	WFB 6x200	1000.1	1
SS400	WFB 6x200	3000.1	1
SS400	WFB 6x160	4700.1	1
SS400	WFB 25x200	3700.1	1
SS400	WFB 22x200	2200.1	3
SS400	WFB 16x200	1500.1	1
SS400	WFB 12x175	3800.1	1
SS400	L 9x75	700.1	1
SS400	L 9x75	1000.1	1
SS400	L 9x75	1800.1	1
SS400	L 8x65	4500.1	1
SS400	L 8x120	1500.1	1
SS400	L 7x90	900.1	1
SS400	L 7x90	2600.1	2
SS400	L 7x100	700.1	1
SS400	L 7x100	1600.1	1
SS400	L 6x90	5700.1	1
SS400	L 6x75	1300.1	1
SS400	L 6x75	1700.1	1
SS400	L 6x75	3100.1	1
SS400	L 6x65	3200.1	1
SS400	L 6x50	600.1	1
SS400	L 6x50	900.1	1
SS400	L 6x50	1100.1	1
SS400	L 6x50	2100.1	1
SS400	L 5x60	1400.1	1
SS400	L 5x60	1800.1	5
SS400	L 5x60	1900.1	5
SS400	L 5x60	2400.1	3
SS400	L 5x40	1900.1	1
SS400	L 5x30	600.1	3
SS400	L 5x30	2000.1	1
SS400	L 4x60	2700.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	L 4x50	2800.1	1
SS400	L 3x40	900.1	1
SS400	L 3x30	600.1	1
SS400	L 3x30	800.1	3
SS400	L 3x30	900.1	1
SS400	L 3x30	1400.1	2
SS400	カー L 3x30	5300.1	1
SS400	L 3x25	4300.1	1
SS400	L 3x20	2000.1	1
SS400	L 15x200	1000.1	1
SS400	L 15x150	1100.1	1
SS400	L 12x75	2400.1	1
SS400	L 12x150	1600.1	1
SS400	L 10x100	3400.1	1
SS400	L 10x100	3900.1	1
SS400	H 300x300x10/15	1300.1	1
SS400	H 294x200x8/12	4200.1	2
SS400	H 294x200x8/12	4700.1	1
SS400	H 250x250x9/14	900.1	4
SS400	H 250x250x9/14	1000.1	2
SS400	H 250x250x9/14	1500.1	1
SS400	H 250x125x6/9	1600.1	1
SS400	H 250x125x6/9	1900.1	2
SS400	H 200x200x8/12	1100.1	1
SS400	H 200x200x8/12	2800.1	1
SS400	H 200x100x5.5/8	6900.1	1
SS400	H 194x150x6/9	5200.1	1
SS400	H 175x90x5/8	1600.1	6
SS400	H 175x90x5/8	2100.1	1
SS400	H 175x175x7.5/11	1900.1	1
SS400	H 175x175x7.5/11	3400.1	1
SS400	H 150x75x5/7	1000.1	1
SS400	H 150x75x5/7	1200.1	1
SS400	H 150x75x5/7	2800.1	1
SS400	H 150x150x7/10	1000.1	1
SS400	H 125x60x6/8	1400.1	1
SS400	H 125x60x6/8	2600.1	1
SS400	H 125x125x6.5/9	700.1	5
SS400	H 100x100x6/8	900.1	1
SS400	H 100x100x6/8	2400.1	1

# 切斷端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	FB 9x90	4600.1	1
SS400	FB 9x75	900.1	1
SS400	FB 9x75	2100.1	4
SS400	FB 9x75	2500.1	2
SS400	FB 9x75	2700.1	1
SS400	FB 9x70	2400.1	1
SS400	FB 9x65	600.1	1
SS400	FB 9x65	900.1	1
SS400	FB 9x65	2900.1	1
SS400	FB 9x60	1400.1	2
SS400	FB 9x44	1400.1	1
SS400	FB 9x38	2400.1	4
SS400	FB 9x32	800.1	1
SS400	FB 9x32	1200.1	1
SS400	FB 9x32	1400.1	1
SS400	FB 9x25	1000.1	1
SS400	FB 9x22	1300.1	2
SS400	FB 9x22	1900.1	2
SS400	FB 9x22	2000.1	2
SS400	FB 9x19	900.1	2
SS400	FB 9x19	1000.1	1
SS400	FB 9x19	1100.1	1
SS400	FB 9x19	1200.1	2
SS400	FB 9x19	1300.1	4
SS400	FB 9x19	1400.1	1
SS400	FB 9x19	2400.1	1
SS400	FB 9x16	600.1	1
SS400	FB 9x16	1100.1	1
SS400	FB 9x16	1500.1	2
SS400	FB 9x16	2000.1	2
SS400	FB 9x16	2400.1	1
SS400	FB 9x125	700.1	1
SS400	FB 9x125	2500.1	1
SS400	FB 9x120	4400.1	1
SS400	FB 6x90	2400.1	15
SS400	FB 6x80	5000.1	1
SS400	FB 6x75	1300.1	1
SS400	FB 6x75	3300.1	1
SS400	FB 6x70	1200.1	1
SS400	FB 6x70	1700.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	FB 6x65	800.1	1
SS400	FB 6x65	1000.1	1
SS400	FB 6x60	700.1	1
SS400	FB 6x60	1200.1	1
SS400	FB 6x60	3600.1	1
SS400	FB 6x50	1600.1	1
SS400	FB 6x44	700.1	1
SS400	FB 6x38	3300.1	1
SS400	FB 6x32	1100.1	1
SS400	FB 6x32	3500.1	1
SS400	FB 6x22	800.1	4
SS400	FB 6x19	1000.1	4
SS400	FB 6x19	1400.1	1
SS400	FB 6x16	800.1	1
SS400	FB 6x16	2300.1	1
SS400	FB 6x150	1300.1	1
SS400	FB 6x150	3200.1	1
SS400	FB 6x125	900.1	1
SS400	FB 6x125	2700.1	1
SS400	FB 6x100	1400.1	1
SS400	FB 4.5x75	1400.1	2
SS400	FB 4.5x75	1600.1	1
SS400	FB 4.5x65	4500.1	1
SS400	FB 4.5x50	1900.1	1
SS400	FB 4.5x50	2000.1	1
SS400	FB 4.5x25	3800.1	1
SS400	FB 4.5x16	3700.1	1
SS400	FB 4.5x13	800.1	2
SS400	FB 4.5x13	1500.1	3
SS400	FB 4.5x100	700.1	1
SS400	FB 4.5x100	1200.1	2
SS400	FB 3x50	1600.1	1
SS400	FB 3x38	3400.1	1
SS400	FB 3x32	1000.1	1
SS400	FB 3x25	1100.1	1
SS400	FB 3x25	1400.1	1
SS400	FB 3x22	4700.1	1
SS400	FB 3x19	1400.1	2
SS400	FB 3x13	1000.1	1
SS400	FB 3x13	1500.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	FB 32x75	3000.1	1
SS400	FB 32x65	2300.1	1
SS400	FB 32x65	2500.1	3
SS400	FB 28x150	1400.1	1
SS400	FB 25x90	800.1	1
SS400	FB 25x75	1500.1	2
SS400	FB 25x65	3700.1	1
SS400	FB 25x50	1500.1	1
SS400	FB 25x38	1000.1	1
SS400	FB 25x32	900.1	1
SS400	FB 25x150	800.1	1
SS400	FB 25x150	900.1	1
SS400	FB 25x150	1000.1	1
SS400	FB 25x125	1700.1	1
SS400	FB 25x125	3500.1	1
SS400	FB 25x100	700.1	1
SS400	FB 25x100	2100.1	2
SS400	FB 25x100	2200.1	1
SS400	FB 22x90	4300.1	1
SS400	FB 22x75	1600.1	1
SS400	FB 22x65	1600.1	1
SS400	FB 22x65	2500.1	1
SS400	FB 22x65	2700.1	2
SS400	FB 22x50	1000.1	1
SS400	FB 22x50	2000.1	2
SS400	FB 22x150	700.1	1
SS400	FB 22x150	900.1	1
SS400	FB 22x150	1000.1	1
SS400	FB 22x150	1200.1	1
SS400	FB 22x150	1300.1	1
SS400	FB 22x125	900.1	3
SS400	FB 22x125	1000.1	1
SS400	FB 22x125	1200.1	4
SS400	FB 22x125	1300.1	1
SS400	FB 22x125	1600.1	1
SS400	FB 22x125	3200.1	1
SS400	FB 22x100	3500.1	1
SS400	FB 19x90	900.1	1
SS400	FB 19x90	1300.1	1
SS400	FB 19x90	3800.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	FB 19x75	800.1	4
SS400	FB 19x75	1900.1	1
SS400	FB 19x65	800.1	1
SS400	FB 19x65	1000.1	1
SS400	FB 19x65	1600.1	1
SS400	FB 19x50	700.1	1
SS400	FB 19x50	800.1	1
SS400	FB 19x50	1600.1	1
SS400	FB 19x44	900.1	1
SS400	FB 19x44	1200.1	4
SS400	FB 19x44	1900.1	1
SS400	FB 19x44	2000.1	4
SS400	FB 19x44	2300.1	18
SS400	FB 19x38	800.1	1
SS400	FB 19x38	1000.1	5
SS400	FB 19x32	2700.1	1
SS400	FB 19x150	800.1	1
SS400	FB 19x150	900.1	1
SS400	FB 19x150	2400.1	2
SS400	FB 19x125	1600.1	1
SS400	FB 19x100	1700.1	1
SS400	FB 19x100	1800.1	1
SS400	FB 19x100	2200.1	1
SS400	FB 19x100	2900.1	1
SS400	FB 16x90	800.1	12
SS400	FB 16x90	900.1	1
SS400	FB 16x90	1000.1	1
SS400	FB 16x90	1100.1	1
SS400	FB 16x75	1100.1	2
SS400	FB 16x65	700.1	1
SS400	FB 16x65	2600.1	1
SS400	FB 16x60	4600.1	1
SS400	FB 16x50	3000.1	1
SS400	FB 16x44	800.1	1
SS400	FB 16x44	900.1	1
SS400	FB 16x44	3900.1	1
SS400	FB 16x38	900.1	2
SS400	FB 16x38	1600.1	1
SS400	FB 16x38	3400.1	1
SS400	FB 16x32	600.1	1

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式会社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	FB 16x32	700.1	2
SS400	FB 16x32	1000.1	2
SS400	FB 16x32	1100.1	1
SS400	FB 16x32	1400.1	1
SS400	FB 16x32	1900.1	1
SS400	FB 16x32	3400.1	1
SS400	FB 16x25	2900.1	1
SS400	FB 16x25	5400.1	1
SS400	FB 16x150	1500.1	1
SS400	FB 16x150	1800.1	2
SS400	FB 16x150	3000.1	1
SS400	FB 16x125	1000.1	3
SS400	FB 16x125	3300.1	1
SS400	FB 16x100	1600.1	1
SS400	FB 16x100	1800.1	4
SS400	FB 12x90	700.1	1
SS400	FB 12x90	900.1	2
SS400	FB 12x90	1000.1	6
SS400	FB 12x90	2400.1	1
SS400	FB 12x75	700.1	2
SS400	FB 12x75	1200.1	1
SS400	FB 12x75	1800.1	1
SS400	FB 12x70	4300.1	1
SS400	FB 12x50	500.1	2
SS400	FB 12x50	900.1	1
SS400	FB 12x50	1200.1	1
SS400	FB 12x44	700.1	3
SS400	FB 12x44	800.1	2
SS400	FB 12x38	1300.1	2
SS400	FB 12x38	1400.1	1
SS400	FB 12x38	1500.1	11
SS400	FB 12x38	2400.1	1
SS400	FB 12x32	600.1	1
SS400	FB 12x32	700.1	3
SS400	FB 12x32	800.1	6
SS400	FB 12x32	900.1	1
SS400	FB 12x32	1000.1	4
SS400	FB 12x32	1200.1	3
SS400	FB 12x32	1300.1	3
SS400	FB 12x32	1500.1	3

# 切断端材リスト

「 1.1 」の表記はショットブラスト済み

## 柏陽鋼機株式會社

〒945-0114 新潟県柏崎市藤井1497  
TEL:0257-24-5666 FAX:0257-24-5665

更新日: 2026年03月09日

材質	材料名	長さ	本数
SS400	FB 12x25	600.1	1
SS400	FB 12x25	700.1	1
SS400	FB 12x25	800.1	1
SS400	FB 12x150	5200.1	1
SS400	FB 12x125	800.1	1
SS400	FB 12x125	1200.1	2
SS400	FB 12x125	1500.1	1
SS400	FB 12x125	1800.1	1
SS400	FB 12x125	2000.1	1
SS400	FB 12x125	2300.1	1
SS400	FB 12x100	1100.1	1
SS400	FB 12x100	1700.1	1
SS400	FB 12x100	1800.1	4
SS400	FB 12x100	2200.1	4
SD345	D19	1600.1	1
SD345	D16	3600.1	3
SGP	8A ( 13.8x2.3t )	5100.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P3.2x100x100	1400.1	2
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P3.2x100x100	1600.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P3.2x100x100	2200.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P3.2x100x100	2700.1	1
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P2.3x100x100	5400.1	2
STKR400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-角P2.3x100x100	6600.1	1
SSC400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-C3.2x100x50x20	9100.1	1
SSC400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-C2.3x100x50x20	3500.1	1
SSC400	74アケアタ <sup>°</sup> -ク <sup>°</sup> レ-C2.3x100x50x20	6000.1	1
SGP	40A ( 48.6x3.5t )	4400.1	1
SGP	25A ( 34x3.2t )	3300.1	1
SGP	20A ( 27.2x2.8t )	3500.1	1
SGP	10A ( 17.3x2.3t )	3100.1	1